

Ball Valves

## **CRN 0C10908 ADD 13**

MODEL Series 84, 85

EXP. 03/07/2026

CRN Documentation by Province: click highlighted links below to launch PDF

BRITISH COLUMBIA

ALBERTA

SASKATCHEWAN

MANITOBA

ONTARIO

QUEBEC

NEW BRUNSWICK

NOVA SCOTIA

PRINCE EDWARD ISLAND

NEWFOUNDLAND AND LABRADOR

NUNAVUT

NORTHWEST TERRITORIES

YUKON



## DIRECTIVE

### EXEMPTION FROM REGISTRATION REQUIREMENTS FOR CATEGORY A, B, C, AND G CATEGORY FITTINGS

*This Directive is being issued by a provincial safety manager pursuant to section 30 of the Safety Standards Act.*

**Date of Issue: July 12, 2013**

**Directive No: D-BP-2013-03**

#### General Details

This directive supersedes Directive D-B6 070402 3 issued on April 3, 2007 and is being issued to clarify the requirements for exemption of Category A, B, C, and G fittings from registration.

#### Specific Details

Subsection 84(2) of the Power Engineers, Boiler, Pressure Vessel and Refrigeration Safety Regulation (the Regulation) requires that fittings be registered with a provincial safety manager of the BC Safety Authority. Subsection 84(8) of the Regulation allows the Safety Manager to exempt fittings from registration.

The exemption of fittings from registration shall apply only to piping components complying with the standards and specifications listed in the ASME B31 Pressure Piping Codes and to certified pressure relief devices complying with the requirements of the ASME Boiler and Pressure Vessel Codes.

The registration exemption shall apply to specific fittings in categories A, B, C, and G:

#### Category A

- Pipe fittings, including couplings, tees, elbows, wyes, plugs, unions, nipples, pipe caps, and reducers complying with a standard listed in Table 126.1 of ASME B31.1, Table 326.1 of ASME B31.3, Table 526.1 of ASME B31.5, or Table 926.1 of ASME B31.9

#### Category B

- Flanges complying with a standard listed in Table 126.1 of ASME B31.1, Table 326.1 of ASME B31.3, Table 526.1 of ASME B31.5, or Table 926.1 of ASME B31.9

#### Category C

- Valves complying with a standard listed in Table 126.1 of ASME B31.1, Table 326.1 of ASME B31.3, Table 526.1 of ASME B31.5, or Table 926.1 of ASME B31.9

#### Category G

- Pressure-relief devices marked with an ASME or NB stamp

Pursuant to the power granted to the provincial Safety Manager under subsection 84(8) of the

## DIRECTIVE

Regulation, it is hereby directed that only category A, B, C, and G fittings, as described above, are exempt from the registration requirements of Subsection 84(2) of the Regulation. This directive is effective immediately.

Nonstandard or unlisted piping components not complying with the specifications and standards listed the ASME B31 Code for Pressure Piping or pressure relief devices not in compliance with the requirements of the ASME Boiler and Pressure Vessel Code, shall be registered in accordance with Section 84(2) by submitting the documentation specified in CSA B51 section 4.2.6(b).

A handwritten signature in blue ink that reads "Ed Hurd".

Ed Hurd P.Eng.  
Provincial Safety Manager, Boilers

For more information on the British Columbia Safety Authority, please visit our web site at: [www.safetyauthority.ca](http://www.safetyauthority.ca)

### References: Relevant Legislation

#### Power Engineers, Boiler, Pressure Vessel & Refrigeration Safety Regulation

84 (1) For this section, "pressure retaining equipment" means a boiler or pressure vessel, or pressure piping system.

(2) The design of all boilers, pressure vessels, fittings and pressure piping, to which this regulation applies, must be registered with a provincial safety manager.

(3) Subsection (2) does not apply to pressure piping that is  
(a) NPS 3 or less, or  
(b) in a fluid plant.

(4) To register a design, the owner, licensed contractor, consulting engineer, manufacturer or designer of the pressure retaining equipment must submit, for review by a provincial safety manager, an application containing all drawings, design specifications, calculations and codes of conformance as required by a provincial safety manager.

(5) Registration of pressure retaining equipment must be obtained before construction is commenced.

(6) If, in the opinion of a provincial safety manager, a design registered under subsection (2) is subsequently found to be defective in any detail, the design must be revised by the person



## DIRECTIVE

who submitted the design and those revisions must be approved by the provincial safety manager.

(7) The registration of a pressure retaining equipment design does not relieve the equipment manufacturer of liability for the design and construction of the pressure retaining equipment.

(8) A provincial safety manager may exempt fitting designs from registration under subsection (2).



345 Carlingview Drive  
Toronto, Ontario  
CANADA M9W 6N9  
Tel.: 416.734.3300  
Fax.: 416.231.1626  
Toll Free: 1.877.682.8772  
[www.tssa.org](http://www.tssa.org)

October 17, 2019

Ryan Taylor  
CONBRACO INDUSTRIES  
1418 PEARL STREET  
PAGELAND SC 29728  
US

Service Request Type.: BPV-National AB  
Service Request No.: 2634138  
Your Reference No.:  
Registered to.: CONBRACO INDUSTRIES

Dear Ryan Taylor,

Please find enclosed the original response from AB, registered under the CRN No.: 0C10908.52.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you.  
For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail [customerservices@tssa.org](mailto:customerservices@tssa.org). When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Tanya Francis  
Administrative Assistant\_ BPV Engineering  
Tel. : 416-734-3423  
Fax : 416-231-6183  
Email : [tfrancis@tssa.org](mailto:tfrancis@tssa.org)

September 18, 2019

**Attention:** Joanna Karpinski  
TECHNICAL STANDARDS & SAFETY AUTHORITY  
345 CARLINGVIEW DRIVE  
TORONTO, ON M9W 6N9

The design submission, tracking number 2019-05079, originally received on July 17, 2019 was surveyed and accepted for registration as follows:

**CRN :** 0C10908.52 **Accepted on:** September 18, 2019  
**Reg Type:** ADDITION TO ACC. FITTING **Expiry Date:** March 07, 2026  
**Drawing No. :** TSSA SCOPE OF REGISTRATION  
**Fitting type:** 3-PIECE BALL VALVES  
Design registered in the name of : CONBRACO INDUSTRIES INC

**The registration is conditional on your compliance with the following notes:**

*TSSA Service Request No.: 2634138*

*The scope of this registration is the addition of the following 3-piece ball valves to CRN 0C10908.52 as identified in the scope of registration and AB-41 statutory declaration form:*

- Series 84A and 85A, pressure-temperature rating 1500 psi at 100 oF, code of construction ASME B31.3.
- Series 84B, 84L, 85B, 85C, 85D, 85E, 85G, 85J, and 85K, class 600, code of construction ASME B16.34.
- Sizes 3/4", 1", 1-1/2", 2", and 2-1/2".
- Materials and end connections as listed in the scope of registration.

*As per your email on September 9:*

- MDMT is -20 °F for valves designed to B31.3.
- Geometry, dimensions, and ends of valve series 85D, 85E, 85G, 85J, and 85K are the same as series 85B; the only difference is the material.

*This submission has been accepted for registration based on the following understandings:*

- All valves will be built in compliance with ASME B31.3 or B16.34 (as indicated above) in its entirety.
- CD3MN and CD3MWCuN material spec is A995.

*The following catalog pages were provided for reference only: Apollo Valves Industrial Products, Carbon/Stainless/Alloy Steel 3-piece Standard Port Ball Valves, Series 84A/B/L and 85A/B/C (36 pages).*

September 18, 2019

**The registration is conditional on your compliance with the following notes:**

*This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form.*

*This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.*

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

Enclosed are stamped prints for your reference.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3344 or fax (780) 437-7787 or e-mail [Rudolf@absa.ca](mailto:Rudolf@absa.ca).


Sincerely,



RUDOLF, KEITH, P. Eng.  
DOP Cert. No. D00008862

STATUTORY DECLARATION Registration of Fittings

I, RYAN TAYLOR, PROJECT ENGINEER of CONBRACO INDUSTRIES, INC. located at 1418 S. PEARL STREET, PAGELAND, SC 29728



do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

- comply with the requirements of ASME B16.34 or ASME B31.3 which specifies the dimensions, materials of construction, pressure/temperature ratings and identification marking of the fittings, or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are CATEGORY C - 3PC-Standard Port, Class 600 Ball Valves (sizes 3/4" to 2-1/2")

In support of this application, the following information, calculations and/or test data are attached:


DRAWINGS, DESIGN CALCULATIONS, TECHNICAL SHEETS, ISO 9001:2015 CERTIFICATE

DECLARED before me at Pageland in the state of South Carolina this 21st day of May, 2019

(print) Nancy Strawn (a Commissioner of Oaths or Notary Public)

(sign) Nancy Strawn (a Commissioner of Oaths or Notary Public)

(signature of applicant)



For ABSA Office Use Only:

NOTES: Code editions are 2017 and 2016 respectively.

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category C

Registration Number: 0C10908.52

(Signature of the Administrator/SCO)

Date Registered: SEP 18 2019

Expiry Date: Mar 07 2026

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Pressure Equipment Discipline.

"See Acceptance Letter for the comments and/or conditions of registration"



Apollo Industrial 3-Piece Standard Port Ball Valves					
Valve Series (requiring certification)	Material Specification	Design Standard	Available Sizes	End Connections	Technical File (Design Report)
84A	A216-WCB (C. Steel)	MSS SP-110,	3/4" 1" 1-1/2" 2" 2-1/2"	NPT SW BW (Sch. 5) BW (Sch. 10) BW (Sch. 40) BW (Sch. 80)	ES1623
85A	A351-CF8M (S. Steel)	ASME B31.3			
84B	A216-WCB (C. Steel)	ASME B16.34			
84L	A352-LCC (C. Steel)				
85B	A351-CF8M (S. Steel)				
85C	A351-CN7M (Alloy 20)				
85D	A494-CW12MW (Hastelloy C)				
85E	A494-M35-1 (Monel)				
85G	A479-316/316L (S. Steel)				
85J	CD3MN (2205 Duplex)				
85K	CD3MWCuN (2507 Super Duplex)				
					ES1624

<b>ABSA</b>	
SAFETY CODES ACT - PROVINCE OF ALBERTA	
REGISTRATION OF FITTINGS	
REGISTRATION NO.	<u>0C10908.52</u>
DWG. NO. or CAT. NO.	<u>TSSA Scope of Registration</u>
TYPE OF FITTINGS	<u>3-Piece Ball Valves</u>
SEP 18 2019	INITIALS <u>Keith Rudolf</u>
Date	KEITH RUDOLF, P.Eng. DESIGN SURVEY ENGINEER

"See Acceptance Letter for the comments and/or conditions of registration"

Drawing Numbers											
Series	Configuration	Valve Size	Assembly No.	Body	End Cap	Stem	Seat	Stem Bearing	Body Seal	Gland Plate	
<b>84B</b>	84B-100	3/4	84B14401	U259112	L150912	G472512	D437400	D465300	D471800	I886700	
		1	84B14501	U259012	L151812	G473112	D437600	D465300	D471800	I621700	
		1 1/2	84B14701	U258912	L151912	G557806	D579800	D465300	D447600	I621800	
		2	84B14801	U258812	L152412	G473312	D463800	D465300	D471800	I621800	
		2 1/2	84B14901	U258712	L152912	G472712	D463900	D465300	D471800	I621904	
	84B-200	3/4	84B24401			L150812					
		1	84B24501			L150712					
		1 1/2	84B24701			L150612					
		2	84B24801			L150512					
		2 1/2	84B24901			L150412					
	84B-300	3/4	84B34401			L151012					
		1	84B34501			L151412					
		1 1/2	84B34701			L152012					
		2	84B34801			L152512					
		2 1/2	84B34901			L153012					
	84B-400	3/4	84B44401			L151112					
		1	84B44501			L151512					
		1 1/2	84B44701			L152112					
		2	84B44801			L152612					
		2 1/2	84B44901			L153112					
84B-500	3/4	84B54401			L151212						
	1	84B54501			L151612						
	1 1/2	84B54701			L152212						
	2	84B54801			L152712						
	2 1/2	84B54901			L153212						
84B-600	3/4	84B64401			L151312						
	1	84B64501			L151712						
	1 1/2	84B64701			L152312						
	2	84B64801			L152812						
	2 1/2	84B64901			L153312						
<b>84L</b>	84L-100	3/4	84L14401								
		1	84L14501								
		1 1/2	84L14701								
		2	84L14801								
		2 1/2	84L14901								
	84L-200	3/4	84L24401								
		1	84L24501								
		1 1/2	84L24701								
		2	84L24801								
		2 1/2	84L24901								
	84L-300	3/4	84L34401								
		1	84L34501								
		1 1/2	84L34701								
		2	84L34801								
		2 1/2	84L34901								
	84L-400	3/4	84L44401								
		1	84L44501								
		1 1/2	84L44701								
		2	84L44801								
		2 1/2	84L44901								
84L-500	3/4	84L54401									
	1	84L54501									
	1 1/2	84L54701									
	2	84L54801									
	2 1/2	84L54901									
84L-600	3/4	84L64401									
	1	84L64501									
	1 1/2	84L64701									
	2	84L64801									
	2 1/2	84L64901									
<b>85B</b>	85B-100	3/4	85B10401								
		1	85B10501								
		1 1/2	85B10701								
		2	85B10801								
		2 1/2	85B10901								
	85B-200	3/4	85B20401								
		1	85B20501								
		1 1/2	85B20701								
		2	85B20801								
		2 1/2	85B20901								
	85B-300	3/4	85B30401								
		1	85B30501								
		1 1/2	85B30701								
		2	85B30801								
		2 1/2	85B30901								
	85B-400	3/4	85B40401								
		1	85B40501								
		1 1/2	85B40701								
		2	85B40801								
		2 1/2	85B40901								
85B-500	3/4	85B50401									
	1	85B50501									
	1 1/2	85B50701									
	2	85B50801									
	2 1/2	85B50901									
85B-600	3/4	85B60401									
	1	85B60501									
	1 1/2	85B60701									
	2	85B60801									
	2 1/2	85B60901									

Configuration Legend	
-100	Socket Weld
-200	NPT
-300	BW Sch.5
-400	BW Sch.10
-500	BW Sch.40
-600	BW Sch.80

Same as 84B-100

0010908.52

SEP 18 2019

"See Acceptance Letter for the comments and/or conditions of registration"

Same as 84B-100

Same as 84B-200

Same as 84B-300

Same as 84B-100

Same as 84B-400

Same as 84B-500

Same as 84B-600

Same as 84B-100


Same as 84B-200

Same as 84B-300

Same as 84B-400

Same as 84B-500

Same as 84B-600



**NSAI**

0010908.52

Certificate of Registration  
of Quality Management System  
to ISO 9001:2015

The National Standards Authority of Ireland certifies that:

**Conbraco Industries, Inc.**  
**1418 S. Pearl Street**  
**Pageland, SC 29728**  
**USA**



has been assessed and deemed to comply with the requirements of the above standard in respect of the scope of operations given below:

---

**Design and Manufacture of Fluid Control Products  
Under the Apollo Trademark; The Provision of Contract  
Calibration Services**

**Additional sites covered under this multi-site certification are listed on the Annex (File No. 19.8159)**

Approved by:  
Geraldine Larkin Chief  
Executive Officer

Approved by:  
Lisa Greenleaf  
Operations Manager

---


Registration Number: 19.8159  
Certification Granted: Feb 20, 2018  
Effective Date: Sep 15, 2018  
Expiry Date: Sep 14, 2021



---

National Standards Authority of Ireland, 20 Trafalgar Square, Nashua, New Hampshire, NH 03063, USA T +1 603 882 4412

**Annex to Certificate Number: 19.8159**



# NSAI

0010908.52

## Scope of Registration:

**Design and Manufacture of Fluid Control Products Under the Apollo Trademark; The Provision of Contract Calibration Services**

### Activity

### Location

Central Function, Design,  
Purchasing, Manufacturing,  
Distribution, Customer Service,  
Contract and Internal Calibration

Conbraco Industries, Inc.  
1418 S. Pearl Street  
Pageland, SC 29728  
USA  
File No.: 19.8159

Brass Foundry &  
Machining Operations

Conbraco Industries, Inc.  
1509 South Van Lingle  
Mungo Blvd  
Pageland, SC 29728  
File No.: 19.8159/A

Corporate HQ, Sales,  
Customer Service

Conbraco Industries, Inc.  
701 Matthews Mint Hill Road  
Matthews, NC 28105  
File No.: 19.8159/B

Steel Foundry & Manufacturing  
Operations

Conbraco Industries, Inc.  
125 Highway 501 East  
Conway, SC 29526  
File No.: 19.8159/C

**Verified by:  
Operations Manager**



To:	TSSA	From:	Janet Townsend
Company:	Conbraco Industries	Phone:	416-747-4291
Pages:	10	Location:	Toronto
Our File:	ANR-5454	Date:	August 16, 2019

Your File: 2634148

**Subject: Request for Design Registration**

CSA has reviewed the documentation submitted by TSSA on behalf of Conbraco Industries. These fittings have been registered by CSA for the Province of Québec. In accordance with an agreement between CSA, the Provinces of Québec and Saskatchewan; this registration is recognized by Quebec and Saskatchewan. These fittings are acceptable for use in these Provinces. The letters CSA will be applied as a prefix to the CRN indicate which fittings have been registered in this manner. A copy of the stamped Statutory Declaration is attached.

The CRN is CSA-0C10908.56ADD13

A copy of the Statutory Declaration with an original stamp affixed will be forwarded to you along with our invoice by regular mail.

Yours truly

A handwritten signature in blue ink that reads 'Janet Townsend'.

**Janet Townsend**  
Program Manager  
CSA Group  
178 Rexdale Blvd.  
Toronto, ON, M9W 1R3  
Canada  
[www.csagroup.org](http://www.csagroup.org)




Building Act (B-1.1)  
Regulation respecting pressure vessels (B-1.1, r. 6.1)  
Boiler, pressure vessel, and pressure piping code (CSA B51)

This declaration must be filled out and sent to the Régie du bâtiment du Québec (RBQ) by pressure fitting manufacturers when they make an application registration for fittings.

For more information on the application registration for fittings, consult the [www.rbq.gouv.qc.ca/fittings-pv](http://www.rbq.gouv.qc.ca/fittings-pv).

## 1. Fittings to register

List the fittings included in this declaration and that you wish to register.

N°	Description	Additional information (detail, calculations or approval sheets)
1	3PC-Standard Port, Class 600 Ball Valves	Sizes: 3/4", 1", 1-1/2", 2", and 2-1/2"
2	DESIGN REPORTS	ES1623, ES1624
3	TECH SHEETS	Tech Sheets for 84ABL & 85ABC
4	ASSEMBLY & TEST	ES1625, ES1626
5	INSTALLATION, OPERATION, & MAINT.	 1887900.K

## 2. Declaration of the person in charge


The person in charge is someone in a position of authority, such as a vice-president, a plant manager or a chief engineer.

**2.1 Design**

I, the undersigned, RYAN TAYLOR PROJECT ENGINEER  
(Name of the person in charge) (Title of the person in charge)

from CONBRACO INDUSTRIES, located at 1418 S. PEARL STREET, PAGELAND, SC 29728  
(Company's name) (Plant's address)


hereby declare that the above-mentioned fittings and subject to the Regulation respecting pressure installations:

comply with the requirements of the ANSI/ASME codes as to their dimensions, identification, material and purpose   
or  
 are not covered by the ANSI/ASME codes, but are in compliance with \_\_\_\_\_  
(Name of code or standard)

code or standard and are designed according to the best current engineering practice, as proven by the enclosed approval report.

**2.2 Manufacturing quality control**

I further declare that the manufacture of these fittings is controlled by a quality control program that complies with the requirements of the following code: ISO 9001:2015, and has been verified by NTL STANDARDS AUTH. OF IRELAND  
(Name of code) (Authorized agency)

Signature of the person in charge:  Date (yyyy-mm-dd): 2019-07-23

### 3. Declaration of commissioner for oaths

I certify that this declaration has been administered before me, at Bohageland, South Carolina, on 2019-07-23.  
(Location) (Date (yyyy-mm-dd))

Signature of commissioner for oaths: Nancy Strawn

Date (yyyy-mm-dd): 2019-07-23

Stamp the seal:



### 4. Registration confirmation (for RBQ's use only)

As far as I know, this application complies with the requirements of the Act and with standard CSA B51, Part 1, section 4.2, and is accepted for registration in the class C.

This registration expires in ten (10) years after the date of registration indicated above, and it must be validated again after this period. Mar. 7. 2026

Canadian registration number (CRN):

REGISTERED



CRN: CSA-DC10908.56A0013

Registration Process administered by  
CSA Group per CSA B51

Registration date (yyyy-mm-dd): Aug. 13. 2019



A. BANWATT

#### Documents to attach

Any application registration for fittings must include these documents:


- Statutory Declaration Registration of Fittings (2 copies)
- Detailed calculations or burst test report (1 copy)
- Detailed technical drawings or catalogues (2 copies)
- Example of the manufacturer's marking (1 copy)
- Proof that a valid and approved quality control program has been implemented (1 copy)
- Form Application for design registration (1 copy)

#### Sending the form

This declaration is mandatory in order to submit an application registration of fittings.

Application registration for fittings must only be sent by mail to this address:

Bureau d'expertise et d'homologation en équipements sous pression  
Régie du bâtiment du Québec  
545, boulevard Crémazie Est, 7<sup>e</sup> étage  
Montréal (Québec) H2M 2V2



# Technical Safety Authority of Saskatchewan

REGISTERED



CRN: CSA-OC10908.56A0013

2202 2nd Ave.  
Regina, SK S4R 1K3  
PH: (306)798-7112 Toll Free: (866)530-8599  
FAX: (306)787-9273 Toll Free: (866)760-9255  
Email: [boilerpermits@tsask.ca](mailto:boilerpermits@tsask.ca)  
Website: [www.tsask.ca](http://www.tsask.ca)

Registration Process administered by

CSA Group per CSA B51

## Statutory Declaration (Registration of Fittings)

TSK-1008

### I. Declaration Information

I, RYAN TAYLOR  
PROJECT ENGINEER  
(company title, e.g. vice president, plant manager, chief engineer)  
(must be in a position of authority in the manufacturing plant where the fitting is produced)  
of: CONBRACO INDUSTRIES  
(name of manufacturer)



located at: 1418 S. PEARL STREET PAGELAND, SC 29728  
(Plant Address - Apt/Street) (City, Prov) (Postal Code)

do solemnly declare that the fittings listed hereinunder, which are subject to the *Saskatchewan Boiler and Pressure Vessel Safety Act* (check one)

- Comply with the requirements of ASME B16.34 or ASME B31.3 which specifies the dimensions, (title of recognized North American Standard) Materials of construction, pressure / temperature ratings and identification marking of the fittings, or
- Are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with \_\_\_\_\_ as supported by the attached data which identifies the dimensions, materials of construction, pressure / temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacturer of these fittings is controlled by a quality control program which has been verified by the following authority, NTL STANDARDS AUTHORITY OF IRELAND as being suitable for the manufacturer of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are CATEGORY C - 3PC-Standard Port, Class 600 Ball Valves (sizes 3/4" to 2-1/2")

In support of this application, the following information, calculations and / or test data are attached:

DRAWINGS, DESIGN CALCULATIONS, TECHNICAL SHEETS, ISO 9001: 2015 CERTIFICATE



### II. Declaration

DECLARED before me at Ryan Taylor of South Carolina state  
this 23<sup>rd</sup> day of July 2019  
Nancy Strawn (print name) [Signature] (Signature)  
Nancy Strawn (Signature of Commissioner of Oaths)



### III. Office Use Only

To the best of my knowledge and belief, the application meets the requirements of the *Boiler and Pressure Vessel Safety Act* and CSA B51, Clause 4.2, and is accepted for registration in Category C  
CSA-OC10908.56A0013 (Registration Number) Aug. 13. 2019 (Date Registered - MM/DD/YYYY) Mar. 7. 2026 (Expiry Date - MM DD YYYY)  
(For the Administrator/Chief Inspector) A. BANWATT

\*Note: See the attachment for the scope of the registration.



TSK-1008 Rev. 10/2012 Page 1 of 1



345 Carlingview Drive  
Toronto Ontario M9W 6N9  
Tel 416 734 3300  
Fax 416 231 1626  
Toll Free 1 877 682 8772

www.tssa.org

June 12, 2019

Ryan Taylor  
CONBRACO INDUSTRIES  
1418 PEARL STREET  
PAGELAND SC 29728  
US

Service Request Type: BPV-Fitting Registration  
Service Request No.: 2596974  
Your Reference No.:  
Registered to: CONBRACO INDUSTRIES

Dear Ryan Taylor,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN: **0C10908.5ADD13**

Main Design No.: **APOLLO INDUSTRIAL 3-PIECE STANDARD PORT BALL VALVES -**  
**SEE SCOPE OF REGISTRATION**

Expiry Date: 07-Mar-2026

Notes:

- 1) Addition of 84A and 85A series, designed to ASME B31.3 with pressure 1500psi@100F.
- 2) Addition of 84B/84L/85B/85C/85D/85E/85G/85J/85K series, designed to ASME B16.34 with ASME B16.34 P/T rating.
- 3) Size range: 3/4" to 2 1/2"
- 4) See scope of registration.

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

A stamped copy of the approved registration and invoice for engineering services will be mailed to you shortly. Should you have any questions or require further assistance, however, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Alan Wu P. Eng.  
Mechanical Engineer, BPV  
Tel. : 416-734-3443  
Fax : 416-231-6183  
Email : [awu@tssa.org](mailto:awu@tssa.org)





TSSA Scope of Registration

Apollo Industrial 3-Piece Standard Port Ball Valves					
Valve Series (requiring certification)	Material Specification	Design Standard	Available Sizes	End Connections	Technical File (Design Report)
84A	A216-WCB (C. Steel)	MSS SP-110,			ES1623
85A	A351-CF8M (S. Steel)	ASME B31.3			
84B	A216-WCB (C. Steel)		3/4"	NPT	
84L	A352-LCC (C. Steel)		1"	SW	
85B	A351-CF8M (S. Steel)		1-1/2"	BW (Sch. 5)	
85C	A351-CN7M (Alloy 20)		2"	BW (Sch. 10)	
85D	A494-CW12MW (Hastelloy C)	ASME B16.34		BW (Sch. 40)	ES1624
85E	A494-M35-1 (Monel)		2-1/2"	BW (Sch. 80)	
85G	A479-316/316L (S. Steel)				
85J	CD3MN (2205 Duplex)				
85K	CD3MWCuN (2507 Super Duplex)				

**SP GROUP**

2 CF3

ATTACHMENT TO  
C.R.N.: CSA-0C10908.57ADP13


Signed: *Robert*  
178 Rexdale Boulevard, Toronto, ON Canada M9W 1R3

**THIS IS PART OF**  
**CRN 0C10908.57ADP13**  
 Technical Standards & Safety Authority  
 Boilers & Pressure Vessels  
 Safety Program

- 85J/K MATERIAL SPEC: A 995 (ASTM)

- 84A/85A DESIGNED TO ASME B31.3 WITH 1500 PSI COU (OUT

- 84B/L & 85B/C/D/E/G/J/K SERIES, DESIGNED TO ASME B16.34 WITH B16.34 P/T RATING



# NSAI

## Scope of Registration:

**Design and Manufacture of Fluid Control Products Under the Apollo Trademark; The Provision of Contract Calibration Services**

### Activity

### Location

Central Function, Design,  
Purchasing, Manufacturing,  
Distribution, Customer Service,  
Contract and Internal Calibration

Conbraco Industries, Inc.  
1418 S. Pearl Street  
Pageland, SC 29728  
USA  
File No.: 19.8159

Brass Foundry &  
Machining Operations

Conbraco Industries, Inc.  
1509 South Van Lingle  
Mungo Blvd  
Pageland, SC 29728  
File No.: 19.8159/A

Corporate HQ, Sales,  
Customer Service

Conbraco Industries, Inc.  
701 Matthews Mint Hill Road  
Matthews, NC 28105  
File No.: 19.8159/B

Steel Foundry & Manufacturing  
Operations

Conbraco Industries, Inc.  
125 Highway 501 East  
Conway, SC 29526  
File No.: 19.8159/C

Verified by:  
Operations Manager



3073


ATTACHMENT TO

C.R.N.: CSA-0C10908.56ADL13

Signed: [Signature]

175 Rexdale Boulevard, Toronto, ON Canada M9W 1R3

THIS IS PART OF  
CRN 0C10908.56ADL13  
Technical Standards & Safety Authority  
Boilers & Pressure Vessels  
Safety Program



# NSAI

## Certificate of Registration of Quality Management System to ISO 9001:2015

The National Standards Authority of Ireland certifies that:

**Conbraco Industries, Inc.**  
**1418 S. Pearl Street**  
**Pageland, SC 29728**  
**USA**



has been assessed and deemed to comply with the requirements of the above standard in respect of the scope of operations given below:

---

**Design and Manufacture of Fluid Control Products  
Under the Apollo Trademark; The Provision of Contract  
Calibration Services**

**Additional sites covered under this multi-site certification are listed on the Annex (File No. 19.8159)**

Approved by:  
Geraldine Larkin Chief  
Executive Officer

Approved by:  
Lisa Greenleaf  
Operations Manager

---


Registration Number: 19.8159  
Certification Granted: Feb 20, 2018  
Effective Date: Sep 15, 2018  
Expiry Date: Sep 14, 2021



---

National Standards Authority of Ireland, 20 Trafalgar Square, Nashua, New Hampshire, NH 03063, USA T +1 603 882 4412

**Annex to Certificate Number: 19.8159**



# NSAI

## Scope of Registration:

**Design and Manufacture of Fluid Control Products Under the Apollo Trademark; The Provision of Contract Calibration Services**

### Activity

### Location

Central Function, Design,  
Purchasing, Manufacturing,  
Distribution, Customer Service,  
Contract and Internal Calibration

Conbraco Industries, Inc.  
1418 S. Pearl Street  
Pageland, SC 29728  
USA  
File No.: 19.8159

Brass Foundry &  
Machining Operations

Conbraco Industries, Inc.  
1509 South Van Lingle  
Mungo Blvd  
Pageland, SC 29728  
File No.: 19.8159/A

Corporate HQ, Sales,  
Customer Service

Conbraco Industries, Inc.  
701 Matthews Mint Hill Road  
Matthews, NC 28105  
File No.: 19.8159/B

Steel Foundry & Manufacturing  
Operations

Conbraco Industries, Inc.  
125 Highway 501 East  
Conway, SC 29526  
File No.: 19.8159/C

**Verified by:  
Operations Manager**



March 2019

## **CRN – Canadian Registration Numbers – Saskatchewan**

The Province of Saskatchewan participates with Quebec and the Canadian Standards Association (CSA Group) for the registrations of “Fittings”.

Per an agreement with CSA Group in April 1998, Saskatchewan recognizes registrations done by CSA Group and accepts such fittings for use in Saskatchewan.

The letters “CSA” are applied as a prefix to the CRN to indicate which “Fittings” have been registered in this manner. You should inform your clients of this additional marking requirement and that “Fittings” registered by CSA Group are accepted for use in province of Saskatchewan, Canada.

178 Rexdale Blvd.  
Toronto, Ontario  
Canada M9W 1R3  
Tel: (416) 747-4000  
[www.csagroup.org](http://www.csagroup.org)





## Office of the Fire Commissioner

### Inspections and Technical Services (ITS)

#### Exemption from Registration Requirements for Categories A, B, C and G Category Fittings

Date Issued: March 13, 2017  
OFC ITSM 17 - 001

**In an effort to better align Manitoba's requirements for pressure piping components and pressure relief valves with other provincial authorities, effective April 1, 2017, Category A, B, C and G fittings meeting the requirements in this bulletin will no longer require registration with Inspections and Technical Services.**

The exemption from the registration requirements identified in paragraph 4.2 of *the CSA B51 code*, and paragraphs 22(1)(e) and (f) of *the Steam and Pressure Plants Regulation*, will apply to:

1. Piping components complying with the standards and specifications listed in ASME B31 Pressure Piping Codes, as identified in Category A, B and C below:

##### Category A

- Pipe fittings, including couplings, tees, elbows, wyes, plugs, unions, nipples, pipe caps, and reducers complying with a standard listed in Table 126.1 of ASME B31.1, Table 326.1 of ASME B31.3, Table 526.1 of ASME B31.5, or Table 926.1 of ASME B31.9

##### Category B

- Flanges complying with a standard listed in Table 126.1 of ASME B31.1, Table 326.1 of ASME B31.3, Table 526.1 of ASME B31.5, or Table 926.1 of ASME B31.9

##### Category C

- Valves complying with a standard listed in Table 126.1 of ASME B31.1, Table 326.1 of ASME B31.3, Table 526.1 of ASME B31.5, or Table 926.1 of ASME B31.9

2. Certified pressure relief devices complying with ASME Boiler and Pressure Vessel Codes, as identified in Category G below:

##### Category G

- Pressure-relief devices marked with an ASME or NB stamp

Non-standard or unlisted piping components that do not comply with the specifications and standards listed in the ASME B31 Pressure Piping codes, and pressure relief devices that do not comply with the requirements of the ASME Boiler and Pressure Vessel Code, will continue to require registration in accordance with the requirements of the CSA B-51 standard, and *the Steam and Pressure Plants Regulation* by submitting the documentation specified in CSA B51 section 4.2.8(b) to the following address:

*Attn: Inspections and Technical Services*  
Office of the Fire Commissioner  
508-401 York Avenue  
Winnipeg, MB, R3C 0P8

**Note: Category A, B, C, and G fitting registrations received prior to April 1, 2017 will continue to be registered by ITS.**

#### Reference Documents

- *The Steam and Pressure Plants Act and Regulation*
- *CSA B51 – Boiler, pressure vessel and pressure piping code*



345 Carlingview Drive  
Toronto Ontario M9W 6N9  
Tel 416 734 3300  
Fax 416 231 1626  
Toll Free 1 877 682 8772

www.tssa.org

June 12, 2019

Ryan Taylor  
CONBRACO INDUSTRIES  
1418 PEARL STREET  
PAGELAND SC 29728  
US

Service Request Type: BPV-Fitting Registration  
Service Request No.: 2596974  
Your Reference No.:  
Registered to: CONBRACO INDUSTRIES

Dear Ryan Taylor,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN: **0C10908.5ADD13**

Main Design No.: **APOLLO INDUSTRIAL 3-PIECE STANDARD PORT BALL VALVES -  
SEE SCOPE OF REGISTRATION**

Expiry Date: 07-Mar-2026

Notes:

- 1) Addition of 84A and 85A series, designed to ASME B31.3 with pressure 1500psi@100F.
- 2) Addition of 84B/84L/85B/85C/85D/85E/85G/85J/85K series, designed to ASME B16.34 with ASME B16.34 P/T rating.
- 3) Size range: 3/4" to 2 1/2"
- 4) See scope of registration.

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

A stamped copy of the approved registration and invoice for engineering services will be mailed to you shortly. Should you have any questions or require further assistance, however, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Alan Wu P. Eng.  
Mechanical Engineer, BPV  
Tel. : 416-734-3443  
Fax : 416-231-6183  
Email : [awu@tssa.org](mailto:awu@tssa.org)





TSSA Scope of Registration

Apollo Industrial 3-Piece Standard Port Ball Valves					
Valve Series (requiring certification)	Material Specification	Design Standard	Available Sizes	End Connections	Technical File (Design Report)
84A	A216-WCB (C. Steel)	MSS SP-110,			ES1623
85A	A351-CF8M (S. Steel)	ASME B31.3			
84B	A216-WCB (C. Steel)		3/4"	NPT	ES1624
84L	A352-LCC (C. Steel)		1"	SW	
85B	A351-CF8M (S. Steel)		1-1/2"	BW (Sch. 5) BW (Sch. 10)	
85C	A351-CN7M (Alloy 20)		2"	BW (Sch. 40)	
85D	A494-CW12MW (Hastelloy C)	ASME B16.34	2-1/2"	BW (Sch. 80)	
85E	A494-M35-1 (Monel)				
85G	A479-316/316L (S. Steel)				
85J	CD3MN (2205 Duplex)				
85K	CD3MWCuN (2507 Super Duplex)				

**ATTACHMENT TO**

**C.R.N.: CSA-0C10908.57ADP13**

Signed: Robert


178 Rexdale Boulevard, Toronto, ON Canada M9W 1R3

**THIS IS PART OF**  
**CRN 0C10908.57ADP13**  
 Technical Standards & Safety Authority  
 Boilers & Pressure Vessels  
 Safety Program

- 85J/K MATERIAL SPEC: A 995 (ASTM)

- 84A/85A DESIGNED TO ASME B31.3 WITH 1500 PSI COU

- 84B/L & 85B/C/D/E/G/J/K SERIES, DESIGNED TO ASME B16.34 WITH B16.34 P/T RATING



# NSAI

## Scope of Registration:

**Design and Manufacture of Fluid Control Products Under the Apollo Trademark; The Provision of Contract Calibration Services**

### Activity

### Location

Central Function, Design,  
Purchasing, Manufacturing,  
Distribution, Customer Service,  
Contract and Internal Calibration

Conbraco Industries, Inc.  
1418 S. Pearl Street  
Pageland, SC 29728  
USA  
File No.: 19.8159

Brass Foundry &  
Machining Operations

Conbraco Industries, Inc.  
1509 South Van Lingle  
Mungo Blvd  
Pageland, SC 29728  
File No.: 19.8159/A

Corporate HQ, Sales,  
Customer Service

Conbraco Industries, Inc.  
701 Matthews Mint Hill Road  
Matthews, NC 28105  
File No.: 19.8159/B

Steel Foundry & Manufacturing  
Operations

Conbraco Industries, Inc.  
125 Highway 501 East  
Conway, SC 29526  
File No.: 19.8159/C

Verified by:  
Operations Manager



3073

ATTACHMENT TO

C.R.N: CSA-0C10908.56ADL13

Signed: [Signature]

175 Rexdale Boulevard, Toronto, ON Canada M9W 1R3

THIS IS PART OF  
CRN 0C10908.56ADL13  
Technical Standards & Safety Authority  
Boilers & Pressure Vessels  
Safety Program



To:	TSSA	From:	Janet Townsend
Company:	Conbraco Industries	Phone:	416-747-4291
Pages:	10	Location:	Toronto
Our File:	ANR-5454	Date:	August 16, 2019

Your File: 2634148

**Subject: Request for Design Registration**

CSA has reviewed the documentation submitted by TSSA on behalf of Conbraco Industries. These fittings have been registered by CSA for the Province of Québec. In accordance with an agreement between CSA, the Provinces of Québec and Saskatchewan; this registration is recognized by Quebec and Saskatchewan. These fittings are acceptable for use in these Provinces. The letters CSA will be applied as a prefix to the CRN indicate which fittings have been registered in this manner. A copy of the stamped Statutory Declaration is attached.

The CRN is CSA-0C10908.56ADD13

A copy of the Statutory Declaration with an original stamp affixed will be forwarded to you along with our invoice by regular mail.

Yours truly

A handwritten signature in blue ink that reads 'Janet Townsend'.

**Janet Townsend**  
Program Manager  
CSA Group  
178 Rexdale Blvd.  
Toronto, ON, M9W 1R3  
Canada  
[www.csagroup.org](http://www.csagroup.org)




Building Act (B-1.1)  
Regulation respecting pressure vessels (B-1.1, r. 6.1)  
Boiler, pressure vessel, and pressure piping code (CSA B51)

This declaration must be filled out and sent to the Régie du bâtiment du Québec (RBQ) by pressure fitting manufacturers when they make an application registration for fittings.

For more information on the application registration for fittings, consult the [www.rbq.gouv.qc.ca/fittings-pv](http://www.rbq.gouv.qc.ca/fittings-pv).

## 1. Fittings to register

List the fittings included in this declaration and that you wish to register.

N°	Description	Additional information (detail, calculations or approval sheets)
1	3PC-Standard Port, Class 600 Ball Valves	Sizes: 3/4", 1", 1-1/2", 2", and 2-1/2"
2	DESIGN REPORTS	ES1623, ES1624
3	TECH SHEETS	Tech Sheets for 84ABL & 85ABC
4	ASSEMBLY & TEST	ES1625, ES1626
5	INSTALLATION, OPERATION, & MAINT.	 1887900.K

## 2. Declaration of the person in charge


The person in charge is someone in a position of authority, such as a vice-president, a plant manager or a chief engineer.

**2.1 Design**

I, the undersigned, RYAN TAYLOR PROJECT ENGINEER  
(Name of the person in charge) (Title of the person in charge)

from CONBRACO INDUSTRIES, located at 1418 S. PEARL STREET, PAGELAND, SC 29728  
(Company's name) (Plant's address)

hereby declare that the above-mentioned fittings and subject to the Regulation respecting pressure installations:

comply with the requirements of the ANSI/ASME codes as to their dimensions, identification, material and purpose 


or

are not covered by the ANSI/ASME codes, but are in compliance with \_\_\_\_\_  
(Name of code or standard)

code or standard and are designed according to the best current engineering practice, as proven by the enclosed approval report.

**2.2 Manufacturing quality control**

I further declare that the manufacture of these fittings is controlled by a quality control program that complies with the requirements of the following code: ISO 9001:2015, and has been verified by N.T.L. STANDARDS AUTH. OF IRELAND  
(Name of code) (Authorized agency)

Signature of the person in charge:  Date (yyyy-mm-dd): 2019-07-23

### 3. Declaration of commissioner for oaths

I certify that this declaration has been administered before me, at Bohageland, South Carolina, on 2019-07-23.  
(Location) (Date (yyyy-mm-dd))

Signature of commissioner for oaths: Nancy Strawn

Date (yyyy-mm-dd): 2019-07-23

Stamp the seal:



### 4. Registration confirmation (for RBQ's use only)

As far as I know, this application complies with the requirements of the Act and with standard CSA B51, Part 1, section 4.2, and is accepted for registration in the class C.

This registration expires in ten (10) years after the date of registration indicated above, and it must be validated again after this period. Mar. 7. 2026

Canadian registration number (CRN):

REGISTERED



CRN: CSA-DC10908.56A0013

Registration Process administered by  
CSA Group per CSA B51

Registration date (yyyy-mm-dd):

Aug. 13. 2019



A. BANWATT

#### Documents to attach

Any application registration for fittings must include these documents:


- Statutory Declaration Registration of Fittings (2 copies)
- Detailed calculations or burst test report (1 copy)
- Detailed technical drawings or catalogues (2 copies)
- Example of the manufacturer's marking (1 copy)
- Proof that a valid and approved quality control program has been implemented (1 copy)
- Form Application for design registration (1 copy)

#### Sending the form

This declaration is mandatory in order to submit an application registration of fittings.

Application registration for fittings must only be sent by mail to this address:

Bureau d'expertise et d'homologation en équipements sous pression  
Régie du bâtiment du Québec  
545, boulevard Crémazie Est, 7<sup>e</sup> étage  
Montréal (Québec) H2M 2V2



# Technical Safety Authority of Saskatchewan

REGISTERED



CRN: CSA-OC10908.56A0013

2202 2nd Ave.  
Regina, SK S4R 1K3  
PH: (306)798-7112 Toll Free: (866)530-8599  
FAX: (306)787-9273 Toll Free: (866)760-9255  
Email: [boilerpermits@tsask.ca](mailto:boilerpermits@tsask.ca)  
Website: [www.tsask.ca](http://www.tsask.ca)

Registration Process administered by

CSA Group per CSA B51

## Statutory Declaration (Registration of Fittings)

TSK-1008

### I. Declaration Information

I, RYAN TAYLOR  
PROJECT ENGINEER  
(company title, e.g. vice president, plant manager, chief engineer)  
(must be in a position of authority in the manufacturing plant where the fitting is produced)  
of: CONBRACO INDUSTRIES  
(name of manufacturer)



located at: 1418 S. PEARL STREET PAGELAND, SC 29728  
(Plant Address - Apt/Street) (City, Prov) (Postal Code)

do solemnly declare that the fittings listed hereinunder, which are subject to the *Saskatchewan Boiler and Pressure Vessel Safety Act* (check one)

- Comply with the requirements of ASME B16.34 or ASME B31.3 which specifies the dimensions, (title of recognized North American Standard) Materials of construction, pressure / temperature ratings and identification marking of the fittings, or
- Are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with \_\_\_\_\_ as supported by the attached data which identifies the dimensions, materials of construction, pressure / temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacturer of these fittings is controlled by a quality control program which has been verified by the following authority, NTL STANDARDS AUTHORITY OF IRELAND as being suitable for the manufacturer of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are CATEGORY C - 3PC-Standard Port, Class 600 Ball Valves (sizes 3/4" to 2-1/2")

In support of this application, the following information, calculations and / or test data are attached:

DRAWINGS, DESIGN CALCULATIONS, TECHNICAL SHEETS, ISO 9001: 2015 CERTIFICATE



### II. Declaration

DECLARED before me at Ryan Taylor of South Carolina state  
this 23<sup>rd</sup> day of July 2019  
Nancy Strawn (print name) [Signature] (Signature)  
Nancy Strawn (Signature of Commissioner of Oaths)



### III. Office Use Only

To the best of my knowledge and belief, the application meets the requirements of the *Boiler and Pressure Vessel Safety Act* and CSA B51, Clause 4.2, and is accepted for registration in Category C

CSA-OC10908.56A0013 (Registration Number) Aug. 13. 2019 (Date Registered - MM/DD/YYYY) Mar. 7. 2026 (Expiry Date - MM DD YYYY)  
(For the Administrator/Chief Inspector) A. BANWATT



\*Note: See the attachment for the scope of the registration.



TSK-1008 Rev. 10/2012 Page 1 of 1



345 Carlingview Drive  
Toronto Ontario M9W 6N9  
Tel 416 734 3300  
Fax 416 231 1626  
Toll Free 1 877 682 8772

www.tssa.org

June 12, 2019

Ryan Taylor  
CONBRACO INDUSTRIES  
1418 PEARL STREET  
PAGELAND SC 29728  
US

Service Request Type: BPV-Fitting Registration  
Service Request No.: 2596974  
Your Reference No.:  
Registered to: CONBRACO INDUSTRIES

Dear Ryan Taylor,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN: **0C10908.5ADD13**

Main Design No.: **APOLLO INDUSTRIAL 3-PIECE STANDARD PORT BALL VALVES - SEE SCOPE OF REGISTRATION**

Expiry Date: 07-Mar-2026

Notes:

- 1) Addition of 84A and 85A series, designed to ASME B31.3 with pressure 1500psi@100F.
- 2) Addition of 84B/84L/85B/85C/85D/85E/85G/85J/85K series, designed to ASME B16.34 with ASME B16.34 P/T rating.
- 3) Size range: 3/4" to 2 1/2"
- 4) See scope of registration.

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

A stamped copy of the approved registration and invoice for engineering services will be mailed to you shortly. Should you have any questions or require further assistance, however, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Alan Wu P. Eng.  
Mechanical Engineer, BPV  
Tel. : 416-734-3443  
Fax : 416-231-6183  
Email : [awu@tssa.org](mailto:awu@tssa.org)


10F3

**ATTACHMENT TO**

**C.R.N.:** CSA-0C10908.56ADD13

**Signed:** [Signature]

**178 Rexdale Boulevard, Toronto, ON Canada M9W 1R3**




Apollo Industrial 3-Piece Standard Port Ball Valves					
Valve Series (requiring certification)	Material Specification	Design Standard	Available Sizes	End Connections	Technical File (Design Report)
84A	A216-WCB (C. Steel)	MSS SP-110,	3/4" 1"	NPT SW	ES1623
85A	A351-CF8M (S. Steel)	ASME B31.3			
84B	A216-WCB (C. Steel)	ASME B16.34	1-1/2" 2"	BW (Sch. 5) BW (Sch. 10)	
84L	A352-LCC (C. Steel)				
85B	A351-CF8M (S. Steel)				
85C	A351-CN7M (Alloy 20)	ASME B16.34	2-1/2"	BW (Sch. 40) BW (Sch. 80)	ES1624
85D	A494-CW12MW (Hastelloy C)				
85E	A494-M35-1 (Monel)				
85G	A479-316/316L (S. Steel)				
85J	CD3MN (2205 Duplex)	ASME B16.34	2-1/2"	BW (Sch. 40) BW (Sch. 80)	ES1624
85K	CD3MWCuN (2507 Super Duplex)				

**SP GROUP**

ATTACHMENT TO  
C.R.N.: CSA-0C10908.57ADP13  
Signed: Robert  
178 Rexdale Boulevard, Toronto, ON Canada M9W 1R3

**THIS IS PART OF**  
**CRN 0C10908.57ADP13**  
 Technical Standards & Safety Authority  
 Boilers & Pressure Vessels  
 Safety Program

- 85J/K MATERIAL SPEC: A 995 (ASTM)
- 84A/85A DESIGNED TO ASME B31.3 WITH 1500 PSI COU (OUT)
- 84B/L & 85B/C/D/E/G/J/K SERIES, DESIGNED TO ASME B16.34 WITH B16.34 P/T RATING



# NSAI

## Scope of Registration:

**Design and Manufacture of Fluid Control Products Under the Apollo Trademark; The Provision of Contract Calibration Services**

### Activity

### Location

Central Function, Design,  
Purchasing, Manufacturing,  
Distribution, Customer Service,  
Contract and Internal Calibration

Conbraco Industries, Inc.  
1418 S. Pearl Street  
Pageland, SC 29728  
USA  
File No.: 19.8159

Brass Foundry &  
Machining Operations

Conbraco Industries, Inc.  
1509 South Van Lingle  
Mungo Blvd  
Pageland, SC 29728  
File No.: 19.8159/A

Corporate HQ, Sales,  
Customer Service

Conbraco Industries, Inc.  
701 Matthews Mint Hill Road  
Matthews, NC 28105  
File No.: 19.8159/B

Steel Foundry & Manufacturing  
Operations

Conbraco Industries, Inc.  
125 Highway 501 East  
Conway, SC 29526  
File No.: 19.8159/C

Verified by:  
Operations Manager



3073


ATTACHMENT TO

C.R.N: CSA-0C10908.56ADL13

Signed: [Signature]

175 Rexdale Boulevard, Toronto, ON Canada M9W 1R3

THIS IS PART OF  
CRN 0C10908.56ADL13  
Technical Standards & Safety Authority  
Boilers & Pressure Vessels  
Safety Program



# NSAI

## Certificate of Registration of Quality Management System to ISO 9001:2015

The National Standards Authority of Ireland certifies that:

**Conbraco Industries, Inc.**  
**1418 S. Pearl Street**  
**Pageland, SC 29728**  
**USA**



has been assessed and deemed to comply with the requirements of the above standard in respect of the scope of operations given below:

---

**Design and Manufacture of Fluid Control Products  
Under the Apollo Trademark; The Provision of Contract  
Calibration Services**

**Additional sites covered under this multi-site certification are listed on the Annex (File No. 19.8159)**

Approved by:  
Geraldine Larkin Chief  
Executive Officer

Approved by:  
Lisa Greenleaf  
Operations Manager

---


Registration Number: 19.8159  
Certification Granted: Feb 20, 2018  
Effective Date: Sep 15, 2018  
Expiry Date: Sep 14, 2021



---

National Standards Authority of Ireland, 20 Trafalgar Square, Nashua, New Hampshire, NH 03063, USA T +1 603 882 4412

**Annex to Certificate Number: 19.8159**



# NSAI

## Scope of Registration:

**Design and Manufacture of Fluid Control Products Under the Apollo Trademark; The Provision of Contract Calibration Services**

### Activity

### Location

Central Function, Design,  
Purchasing, Manufacturing,  
Distribution, Customer Service,  
Contract and Internal Calibration

Conbraco Industries, Inc.  
1418 S. Pearl Street  
Pageland, SC 29728  
USA  
File No.: 19.8159

Brass Foundry &  
Machining Operations

Conbraco Industries, Inc.  
1509 South Van Lingle  
Mungo Blvd  
Pageland, SC 29728  
File No.: 19.8159/A

Corporate HQ, Sales,  
Customer Service

Conbraco Industries, Inc.  
701 Matthews Mint Hill Road  
Matthews, NC 28105  
File No.: 19.8159/B

Steel Foundry & Manufacturing  
Operations

Conbraco Industries, Inc.  
125 Highway 501 East  
Conway, SC 29526  
File No.: 19.8159/C

**Verified by:  
Operations Manager**



March 2019

## **CRN – Canadian Registration Numbers – Saskatchewan**

The Province of Saskatchewan participates with Quebec and the Canadian Standards Association (CSA Group) for the registrations of “Fittings”.

Per an agreement with CSA Group in April 1998, Saskatchewan recognizes registrations done by CSA Group and accepts such fittings for use in Saskatchewan.

The letters “CSA” are applied as a prefix to the CRN to indicate which “Fittings” have been registered in this manner. You should inform your clients of this additional marking requirement and that “Fittings” registered by CSA Group are accepted for use in province of Saskatchewan, Canada.

178 Rexdale Blvd.  
Toronto, Ontario  
Canada M9W 1R3  
Tel: (416) 747-4000  
[www.csagroup.org](http://www.csagroup.org)





345 Carlingview Drive  
Toronto, Ontario  
CANADA M9W 6N9  
Tel.: 416.734.3300  
Fax.: 416.231.1626  
Toll Free: 1.877.682.8772  
[www.tssa.org](http://www.tssa.org)

September 11, 2019

Ryan Taylor  
CONBRACO INDUSTRIES  
1418 PEARL STREET  
PAGELAND SC 29728  
US

Service Request Type.: BPV-National ACI Central  
Service Request No.: 2634144  
Your Reference No.:  
Registered to.: CONBRACO INDUSTRIES

Dear Ryan Taylor,

Please find enclosed the original response from PEI, NS, NB, NFLD, YK, NWT, NU,  
registered under the CRN No.: 0C10908.59870YTNADD13.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any  
jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you.  
For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail  
[customerservices@tssa.org](mailto:customerservices@tssa.org). When contacting TSSA regarding this file, please refer to the Service Request number  
provided above.

Yours truly,

Tanya Francis  
Administrative Assistant\_ BPV Engineering  
Tel. : 416-734-3423  
Fax : 416-231-6183  
Email : [tfrancis@tssa.org](mailto:tfrancis@tssa.org)

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON


PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>CONBRACO INDUSTRIES, INC.</b>	
MANUFACTURERS ADDRESS: <b>1418 S. PEARL STREET, PAGELAND, SC 29728</b>	
PLANT LOCATIONS: <b>CONWAY, SC</b>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center"><b>"Apollo"</b></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>
<p align="center"><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                  ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I, Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)



This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

**ACCEPTED**

**PROVINCE OF PRINCE EDWARD ISLAND  
 COMMUNITIES, LAND & ENVIRONMENT**

CRN: OC10908.5 ADD13  
 FID#: 2174  
3 PC. STANDARD PORT BALL VALVES-DG.  
 Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  
**CRN EXPIRES MARCH 7, 2026-DG.**

C.R.N. OC10908.59 ADD13  
 DATE: July 26 2019  
 \_\_\_\_\_  
**INSPECTION SERVICES SECTION  
 BOILER/PRESSURE VESSEL BRANCH**


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><b>C Valves: all line valves</b></p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting AECB or ASME requirements)</p>	TITLE OF THE STANDARD OF CONSTRUCTION ASME B16.34 or ASME B31.3
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT) ISO 9001:2015 CERTIFICATE	

DECLARATION:

I, Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL OF THE NOTARY PUBLIC



This space for Regulatory Authority use  
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC10908.5 ADD13  
 FID#: 2174  
3 PC. STANDARD PORT BALL VALVE-DG.  
 Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  
 CRN EXPIRES MARCH 7, 2026-DG.

BOILER & PRESSURE VESSEL  
NOVA SCOTIA  
Date July 26/19  
C.R.N. OC10908.58ADD13  
Dwg. as described  
Signed Yvonne Perry  
1 of 1  
Part  
ACT & REGULATIONS

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="checkbox"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center" style="font-size: 2em;"><i>"Apollo"</i></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                  ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Straun  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL



<p align="center">This registration must be revalidated after ten (10) years from the date of registration</p> <p>CRN: <u>OC10908.5 ADD13</u>                  FID#: <u>2174</u>  <b>3 PC. STANDARD PORT BALL VALVES-DG.</b>                  Notes:                  1. All fittings shall be registered in the name of the Manufacturer.                  2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.                  3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.                  4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  <b>CRN EXPIRES MARCH 7, 2026-DG.</b></p>	<p align="center">New Brunswick / Nouveau Brunswick                  DEPT OF JUSTICE PUBLIC SAFETY                  BOILER &amp; PRESSURE VESSEL ACT</p> <p align="center">REGISTRATION ONLY                  CRN <u>OC10908.57Add13</u>  <u>Nancy Straun</u>                  CHIEF BOILER INSPECTOR                  DATE <u>7/26/2019</u></p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

BLRs       PVs  
 FITTINGS       NUCLEAR COMPONENTS

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center" style="font-size: 2em;"><i>'Apollo'</i></p>	
<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>	
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                   ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I Ryan Taylor (see note 2) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21st day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICE OF PUBLIC SAFETY



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC10908.5 ADD13

FID#: 2174

3 PC. STANDARD PORT BALL VALVES DG.

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

CRN EXPIRES MARCH 7, 2026-DG.

Newfoundland  
 Labrador  
 Service NL  
 Registered OC10908.50 ADD.13  
 Date 19/07/29  
 Engineering and Inspection Services  
 Registered by [Signature]  
 UNDER THE AUTHORITY OF THE  
 PUBLIC SAFETY ACT AND  
 THE BOILER, PRESSURE VESSEL AND  
 COMPRESSED GAS REGULATIONS

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>CONBRACO INDUSTRIES, INC.</b>
MANUFACTURERS ADDRESS: <b>1418 S. PEARL STREET, PAGELAND, SC 29728</b>
PLANT LOCATIONS: <b>CONWAY, SC</b>

<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers          B Flanges: all flanges  <input checked="" type="checkbox"/> C Valves: all line valves          D Expansion joints, flexible connections, and hose assemblies: all types          E Strainers, filters, separators, and steam traps          F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters          G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs          H Pressure retaining components that do not fall into one of the above categories          N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------

<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center"><b>'Apollo'</b></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>          CAST <input type="checkbox"/> OTHER <input type="checkbox"/>          DESCRIBE OTHER:</p>
-------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:**

PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)  
 ISO 9001:2015 CERTIFICATE


**DECLARATION:**  
 I, Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strain  
 (Affix Official seal to the right)



This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C10908.5 ADD13  
 FID#: 2174  
**3 PC. STANDARD PORT BALL VALVES-DG.**  
 Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  
**CRN EXPIRES MARCH 7, 2026-DG.**



**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>CONBRACO INDUSTRIES, INC.</b>	
MANUFACTURERS ADDRESS: <b>1418 S. PEARL STREET, PAGELAND, SC 29728</b>	
PLANT LOCATIONS: <b>CONWAY, SC</b>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="checkbox"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center"><b>'Apollo'</b></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>
<p align="center"><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                  ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I Ryan Taylor (see note 2) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL OF THE NOTARY PUBLIC OF SOUTH CAROLINA



This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of compliance.

CRN: OC10908.5 ADD13  
 FID#: 2174  
3 PC. STANDARD PORT BALL VALVES-DG.  
 Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  
 CRN EXPIRES MARCH 7, 2026-DG.

  
 REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.  
 C.R.N OC10908.5 ADD13  
 SIGNED \_\_\_\_\_  
 DATE July 29 2019

163.00

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: **CONBRACO INDUSTRIES, INC.**  
 MANUFACTURERS ADDRESS: **1418 S PEARL STREET, PAGELAND, SC 29728**  
 PLANT LOCATION: **CONWAY, SC**

**CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY**

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  
 B Flanges: all flanges  
 C Valves: all line valves  
 D Expansion joints, flexible connections, and hose assemblies: all types  
 E Strainers: filters, separators, and steam traps  
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  
 H Pressure retaining components that do not fall into one of the above categories  
 N Nuclear components: Class 1  Class 2  Class 3  (Meeting AECB or ASME requirements)

**PART OF THE STANDARD OR EQUIVALENT**  
 ASME B16.34  
 or  
 ASME B31.3

**SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT**


*Apollo*

**TYPE OF CONSTRUCTION**  
 FORGED  WELDED  WROUGHT   
 CAST  OTHER   
 DESCRIBE OTHER:

**LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:**  
 PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)  
 ISO 9001:2015 CERTIFICATE

**DECLARATION:**  
 I, Ryan Taylor (see note 3), employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)



This space for Regulatory use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C10908.5 ADD13  
 FID#: 2174  
**3 PC. STANDARD PORT BALL VALVES-DG.**  
 Notes:  
 1. All fittings shall be registered in the name of the Manufacturer;  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years  
**CRN EXPIRES MARCH 7, 2026-DG.**

**NUNAVUT**  
 Boilers and  
 Pressure Vessels Act

**REGISTERED**

CRN 0C10908.5NADD13  
 Date July 26, 2019  
 Signed \_\_\_\_\_  
 Chief Inspector

**Territorial Registration Fee**



345 Carlingview Drive  
Toronto, Ontario  
CANADA M9W 6N9  
Tel.: 416.734.3300  
Fax.: 416.231.1626  
Toll Free: 1.877.682.8772  
[www.tssa.org](http://www.tssa.org)

September 11, 2019

Ryan Taylor  
CONBRACO INDUSTRIES  
1418 PEARL STREET  
PAGELAND SC 29728  
US

Service Request Type.: BPV-National ACI Central  
Service Request No.: 2634144  
Your Reference No.:  
Registered to.: CONBRACO INDUSTRIES

Dear Ryan Taylor,

Please find enclosed the original response from PEI, NS, NB, NFLD, YK, NWT, NU,  
registered under the CRN No.: 0C10908.59870YTNADD13.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any  
jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you.  
For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail  
[customerservices@tssa.org](mailto:customerservices@tssa.org). When contacting TSSA regarding this file, please refer to the Service Request number  
provided above.

Yours truly,

Tanya Francis  
Administrative Assistant\_ BPV Engineering  
Tel. : 416-734-3423  
Fax : 416-231-6183  
Email : [tfrancis@tssa.org](mailto:tfrancis@tssa.org)

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON


PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>CONBRACO INDUSTRIES, INC.</b>	
MANUFACTURERS ADDRESS: <b>1418 S. PEARL STREET, PAGELAND, SC 29728</b>	
PLANT LOCATIONS: <b>CONWAY, SC</b>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center" style="font-size: 2em;"><i>"Apollo"</i></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>
<p align="center"><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                   ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I, Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)



This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>OC10908.5 ADD13</u> FID#: <u>2174</u> <b>3 PC. STANDARD PORT BALL VALVES-DG.</b> Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. CRN EXPIRES <u>MARCH 7, 2026-DG.</u>	<p><b>ACCEPTED</b></p> <p>PROVINCE OF PRINCE EDWARD ISLAND                  COMMUNITIES, LAND &amp; ENVIRONMENT</p> <p>C.R.N. <u>OC10908.59 ADD13</u>                  DATE: <u>July 26 2019</u>  <u>James McCabe</u>                  INSPECTION SERVICES SECTION                  BOILER/PRESSURE VESSEL BRANCH</p>


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><b>C Valves: all line valves</b></p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting AECB or ASME requirements)</p>	TITLE OF THE STANDARD OF CONSTRUCTION ASME B16.34 or ASME B31.3
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT) ISO 9001:2015 CERTIFICATE	

DECLARATION:

I, Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
Declared before me at Pageland, SC  
This 21<sup>st</sup> day of May AD 2019  
Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
(Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL OF THE NOTARY PUBLIC



This space for Regulatory Authority use  
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC10908.5 ADD13  
FID#: 2174  
3 PC. STANDARD PORT BALL VALVE-DG.  
Notes:  
1. All fittings shall be registered in the name of the Manufacturer.  
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  
CRN EXPIRES MARCH 7, 2026-DG.

BOILER & PRESSURE VESSEL  
NOVA SCOTIA  
Date July 26/19  
C.R.N. OC10908.58ADD13  
Dwg. as described  
Signed Yvonne Perry  
1 of 1  
Part  
ACT & REGULATIONS

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON


PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="checkbox"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center" style="font-size: 2em;"><i>"Apollo"</i></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                  ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Straun  
 (Affix Official seal to the right)



<p align="center">This space for Regulatory Authority use                  This registration must be revalidated after ten (10) years from the date of registration.</p> <p>CRN: <u>OC10908.5 ADD13</u>                  FID#: <u>2174</u>  <u>3 PC. STANDARD PORT BALL VALVES-DG.</u>                  Notes:                  1. All fittings shall be registered in the name of the Manufacturer.                  2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.                  3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.                  4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.                  CRN EXPIRES <u>MARCH 7, 2026-DG.</u></p>	<p align="center"><b>New Brunswick / Nouveau Brunswick</b></p> <p align="center">DEPT OF JUSTICE PUBLIC SAFETY                  BOILER &amp; PRESSURE VESSEL ACT</p> <p align="center">REGISTRATION ONLY</p> <p align="center">CRN <u>OC10908.57Add13</u>  <u>Ben Adams</u>                  CHIEF BOILER INSPECTOR                  DATE <u>7/26/2019</u></p>
<p><input type="checkbox"/> BLRs      <input type="checkbox"/> PVs  <input checked="" type="checkbox"/> FITTINGS      <input type="checkbox"/> NUCLEAR COMPONENTS</p>	

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON


PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center" style="font-size: 2em;"><i>'Apollo'</i></p>	
<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>	
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                   ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I Ryan Taylor (see note 2) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21st day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC10908.5 ADD13

FID#: 2174

3 PC. STANDARD PORT BALL VALVES DG.

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

CRN EXPIRES MARCH 7, 2026-DG.

Newfoundland  
 Labrador  
 Service NL  
 Registered OC10908.50 ADD.13  
 Date 19/07/29  
 Engineering and Inspection Services  
 Registered by [Signature]  
 UNDER THE AUTHORITY OF THE  
 PUBLIC SAFETY ACT AND  
 THE BOILER, PRESSURE VESSEL AND  
 COMPRESSED GAS REGULATIONS

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>CONBRACO INDUSTRIES, INC.</b>
MANUFACTURERS ADDRESS: <b>1418 S. PEARL STREET, PAGELAND, SC 29728</b>
PLANT LOCATIONS: <b>CONWAY, SC</b>

<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers          B Flanges: all flanges  <input checked="" type="checkbox"/> C Valves: all line valves          D Expansion joints, flexible connections, and hose assemblies: all types          E Strainers, filters, separators, and steam traps          F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters          G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs          H Pressure retaining components that do not fall into one of the above categories          N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------

<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center"><b>'Apollo'</b></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>          CAST <input type="checkbox"/> OTHER <input type="checkbox"/>          DESCRIBE OTHER:</p>
-------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:**

PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)  
 ISO 9001:2015 CERTIFICATE


**DECLARATION:**  
 I, Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strain  
 (Affix Official seal to the right)



This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C10908.5 ADD13  
 FID#: 2174  
3 PC. STANDARD PORT BALL VALVES-DG.  
 Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  
CRN EXPIRES MARCH 7, 2026-DG.



**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>CONBRACO INDUSTRIES, INC.</b>	
MANUFACTURERS ADDRESS: <b>1418 S. PEARL STREET, PAGELAND, SC 29728</b>	
PLANT LOCATIONS: <b>CONWAY, SC</b>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="checkbox"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p><b>ASME B16.34</b> or <b>ASME B31.3</b></p>
<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center"><b>'Apollo'</b></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>
<p align="center"><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                  ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I Ryan Taylor (see note 2) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL OF THE NOTARY PUBLIC OF SOUTH CAROLINA



This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of compliance.

CRN: OC10908.5 ADD13  
 FID#: 2174  
3 PC. STANDARD PORT BALL VALVES-DG.  
 Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  
 CRN EXPIRES MARCH 7, 2026-DG.

  
 REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.  
 C.R.N. OC10908.5 ADD13  
 SIGNED \_\_\_\_\_  
 DATE July 29 2019

163.00

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: **CONBRACO INDUSTRIES, INC.**  
 MANUFACTURERS ADDRESS: **1418 S PEARL STREET, PAGELAND, SC 29728**  
 PLANT LOCATION: **CONWAY, SC**

**CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY**

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  
 B Flanges: all flanges  
 C Valves: all line valves  
 D Expansion joints, flexible connections, and hose assemblies: all types  
 E Strainers: filters, separators, and steam traps  
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  
 H Pressure retaining components that do not fall into one of the above categories  
 N Nuclear components: Class 1  Class 2  Class 3  (Meeting AECB or ASME requirements)

**PART OF THE STANDARD OR EQUIVALENT**  
 ASME B16.34  
 or  
 ASME B31.3

**SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT**


*Apollo*

**TYPE OF CONSTRUCTION**  
 FORGED  WELDED  WROUGHT   
 CAST  OTHER   
 DESCRIBE OTHER:

**LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:**  
 PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)  
 ISO 9001:2015 CERTIFICATE

**DECLARATION:**  
 I, Ryan Taylor (name and title), employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)



This space for Regulatory use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C10908.5 ADD13  
 FID#: 2174  
**3 PC. STANDARD PORT BALL VALVES-DG.**

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer;  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years  
**CRN EXPIRES MARCH 7, 2026-DG.**

**NUNAVUT**  
 Boilers and Pressure Vessels Act

**REGISTERED**

CRN 0C10908.5NADD13  
 Date July 26, 2019  
 Signed \_\_\_\_\_  
 Chief Inspector

Territorial Registration Fee



345 Carlingview Drive  
Toronto, Ontario  
CANADA M9W 6N9  
Tel.: 416.734.3300  
Fax.: 416.231.1626  
Toll Free: 1.877.682.8772  
[www.tssa.org](http://www.tssa.org)

September 11, 2019

Ryan Taylor  
CONBRACO INDUSTRIES  
1418 PEARL STREET  
PAGELAND SC 29728  
US

Service Request Type.: BPV-National ACI Central  
Service Request No.: 2634144  
Your Reference No.:  
Registered to.: CONBRACO INDUSTRIES

Dear Ryan Taylor,

Please find enclosed the original response from PEI, NS, NB, NFLD, YK, NWT, NU,  
registered under the CRN No.: 0C10908.59870YTNADD13.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any  
jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you.  
For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail  
[customerservices@tssa.org](mailto:customerservices@tssa.org). When contacting TSSA regarding this file, please refer to the Service Request number  
provided above.

Yours truly,

Tanya Francis  
Administrative Assistant\_ BPV Engineering  
Tel. : 416-734-3423  
Fax : 416-231-6183  
Email : [tfrancis@tssa.org](mailto:tfrancis@tssa.org)

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON


PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>CONBRACO INDUSTRIES, INC.</b>	
MANUFACTURERS ADDRESS: <b>1418 S. PEARL STREET, PAGELAND, SC 29728</b>	
PLANT LOCATIONS: <b>CONWAY, SC</b>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center" style="font-size: 2em;"><i>"Apollo"</i></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>
<p align="center"><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                   ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I, Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)



This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>OC10908.5 ADD13</u> FID#: <u>2174</u> <b>3 PC. STANDARD PORT BALL VALVES-DG.</b> Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. CRN EXPIRES <u>MARCH 7, 2026-DG.</u>	<p><b>ACCEPTED</b></p> <p>PROVINCE OF PRINCE EDWARD ISLAND COMMUNITIES, LAND &amp; ENVIRONMENT</p> <p>C.R.N. <u>OC10908.59 ADD13</u></p> <p>DATE: <u>July 26 2019</u></p> <p><u>James McCabe</u> INSPECTION SERVICES SECTION BOILER/PRESSURE VESSEL BRANCH</p>


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><b>C Valves: all line valves</b></p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting AECB or ASME requirements)</p>	TITLE OF THE STANDARD OF CONSTRUCTION ASME B16.34 or ASME B31.3
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT) ISO 9001:2015 CERTIFICATE	

DECLARATION:

I, Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
Declared before me at Pageland, SC  
This 21<sup>st</sup> day of May AD 2019  
Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
(Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL OF THE NOTARY PUBLIC



This space for Regulatory Authority use  
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC10908.5 ADD13  
FID#: 2174  
3 PC. STANDARD PORT BALL VALVE-DG.  
Notes:  
1. All fittings shall be registered in the name of the Manufacturer.  
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  
CRN EXPIRES MARCH 7, 2026-DG.

BOILER & PRESSURE VESSEL  
NOVA SCOTIA  
Date July 26/19  
C.R.N. OC10908.58ADD13  
Dwg. as described  
Signed Yvonne Perry  
1 of 1  
Part  
ACT & REGULATIONS

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="checkbox"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center" style="font-size: 2em;"><i>"Apollo"</i></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                  ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Straun  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL



<p align="center">This registration must be revalidated after ten (10) years from the date of registration.</p> <p>CRN: <u>OC10908.5 ADD13</u>                  FID#: <u>2174</u>  <b>3 PC. STANDARD PORT BALL VALVES-DG.</b>                  Notes:                  1. All fittings shall be registered in the name of the Manufacturer.                  2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.                  3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.                  4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  <b>CRN EXPIRES MARCH 7, 2026-DG.</b></p>	<p align="center">New Brunswick / Nouveau Brunswick                  DEPT OF JUSTICE PUBLIC SAFETY                  BOILER &amp; PRESSURE VESSEL ACT</p> <p align="center">REGISTRATION ONLY                  CRN <u>OC10908.57Add13</u>  <u>Nancy Straun</u>                  CHIEF BOILER INSPECTOR                  DATE <u>7/26/2019</u></p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

BLRs       PVs  
 FITTINGS       NUCLEAR COMPONENTS

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON


PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center" style="font-size: 2em;"><i>'Apollo'</i></p>	
<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>	
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                   ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I Ryan Taylor (see note 2) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21st day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC10908.5 ADD13

FID#: 2174

3 PC. STANDARD PORT BALL VALVES-DG.

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

CRN EXPIRES MARCH 7, 2026-DG.

Newfoundland  
 Labrador  
 Service NL  
 Registered OC10908.50 ADD.13  
 Date 19/07/29  
 Engineering and Inspection Services  
 Registered by [Signature]  
 UNDER THE AUTHORITY OF THE  
 PUBLIC SAFETY ACT AND  
 THE BOILER, PRESSURE VESSEL AND  
 COMPRESSED GAS REGULATIONS

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

<b>MANUFACTURERS NAME:</b>	CONBRACO INDUSTRIES, INC.
<b>MANUFACTURERS ADDRESS:</b>	1418 S. PEARL STREET, PAGELAND, SC 29728
<b>PLANT LOCATIONS:</b>	CONWAY, SC

<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers          B Flanges: all flanges  <input checked="" type="checkbox"/> C Valves: all line valves          D Expansion joints, flexible connections, and hose assemblies: all types          E Strainers, filters, separators, and steam traps          F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters          G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs          H Pressure retaining components that do not fall into one of the above categories          N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------

<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center" style="font-size: 2em;"><i>Apollo</i></p>	<p><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>          CAST <input type="checkbox"/> OTHER <input type="checkbox"/>          DESCRIBE OTHER:</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:**

PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)  
 ISO 9001:2015 CERTIFICATE


**DECLARATION:**  
 I, Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strain  
 (Affix Official seal to the right)



This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C10908.5 ADD13  
 FID#: 2174  
3 PC. STANDARD PORT BALL VALVES-DG.  
 Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  
CRN EXPIRES MARCH 7, 2026-DG.



**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>CONBRACO INDUSTRIES, INC.</b>	
MANUFACTURERS ADDRESS: <b>1418 S. PEARL STREET, PAGELAND, SC 29728</b>	
PLANT LOCATIONS: <b>CONWAY, SC</b>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="checkbox"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p><b>ASME B16.34</b> or <b>ASME B31.3</b></p>
<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center"><b>'Apollo'</b></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>
<p align="center"><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                   ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I Ryan Taylor (see note 2) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL OF THE NOTARY PUBLIC OF SOUTH CAROLINA



This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of compliance.

CRN: OC10908.5 ADD13  
 FID#: 2174  
3 PC. STANDARD PORT BALL VALVES-DG.  
 Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  
CRN EXPIRES MARCH 7, 2026-DG.

  
 Northwest Territories  
**REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.**  
 C.R.N. OC10908.5 ADD13  
 SIGNED \_\_\_\_\_  
 DATE July 29 2019

163.00

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: **CONBRACO INDUSTRIES, INC.**  
 MANUFACTURERS ADDRESS: **1418 S PEARL STREET, PAGELAND, SC 29728**  
 PLANT LOCATION: **CONWAY, SC**

**CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY**

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  
 B Flanges: all flanges  
 C Valves: all line valves  
 D Expansion joints, flexible connections, and hose assemblies: all types  
 E Strainers: filters, separators, and steam traps  
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  
 H Pressure retaining components that do not fall into one of the above categories  
 N Nuclear components: Class 1  Class 2  Class 3  (Meeting AECB or ASME requirements)

**PART OF THE STANDARD OR EQUIVALENT**  
 ASME B16.34  
 or  
 ASME B31.3

**SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT**


*Apollo*

**TYPE OF CONSTRUCTION**  
 FORGED  WELDED  WROUGHT   
 CAST  OTHER   
 DESCRIBE OTHER:

**LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:**  
 PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)  
 ISO 9001:2015 CERTIFICATE

**DECLARATION:**  
 I, Ryan Taylor (name and title), employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)



This space for Regulatory use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C10908.5 ADD13  
 FID#: 2174  
**3 PC. STANDARD PORT BALL VALVES-DG.**

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer;  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years  
**CRN EXPIRES MARCH 7, 2026-DG.**

**NUNAVUT**  
 Boilers and Pressure Vessels Act

**REGISTERED**

CRN 0C10908.5NADD13  
 Date July 26, 2019  
 Signed \_\_\_\_\_  
 Chief Inspector

Territorial Registration Fee



345 Carlingview Drive  
Toronto, Ontario  
CANADA M9W 6N9  
Tel.: 416.734.3300  
Fax.: 416.231.1626  
Toll Free: 1.877.682.8772  
[www.tssa.org](http://www.tssa.org)

September 11, 2019

Ryan Taylor  
CONBRACO INDUSTRIES  
1418 PEARL STREET  
PAGELAND SC 29728  
US

Service Request Type.: BPV-National ACI Central  
Service Request No.: 2634144  
Your Reference No.:  
Registered to.: CONBRACO INDUSTRIES

Dear Ryan Taylor,

Please find enclosed the original response from PEI, NS, NB, NFLD, YK, NWT, NU,  
registered under the CRN No.: 0C10908.59870YTNADD13.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any  
jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you.  
For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail  
[customerservices@tssa.org](mailto:customerservices@tssa.org). When contacting TSSA regarding this file, please refer to the Service Request number  
provided above.

Yours truly,

Tanya Francis  
Administrative Assistant\_ BPV Engineering  
Tel. : 416-734-3423  
Fax : 416-231-6183  
Email : [tfrancis@tssa.org](mailto:tfrancis@tssa.org)

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON


PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> ASME B16.34 or ASME B31.3
<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center"><i>"Apollo"</i></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
<p align="center"><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)  ISO 9001:2015 CERTIFICATE	

**DECLARATION:**  
 I, Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)



This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC10908.5 ADD13  
 FID#: 2174  
3 PC. STANDARD PORT BALL VALVES-DG.  
 Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  
CRN EXPIRES MARCH 7, 2026-DG.

**ACCEPTED**  
 PROVINCE OF PRINCE EDWARD ISLAND  
 COMMUNITIES, LAND & ENVIRONMENT  
 C.R.N. OC10908.59 ADD13  
 DATE: July 26 2019  
James McCabe  
**INSPECTION SERVICES SECTION**  
**BOILER/PRESSURE VESSEL BRANCH**


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR


MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><b>C Valves: all line valves</b></p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting AECB or ASME requirements)</p>	TITLE OF THE STANDARD OF CONSTRUCTION ASME B16.34 or ASME B31.3
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT) ISO 9001:2015 CERTIFICATE	

DECLARATION:

I, Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL OF THE NOTARY PUBLIC



This space for Regulatory Authority use  
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC10908.5 ADD13  
 FID#: 2174  
3 PC. STANDARD PORT BALL VALVE-DG.  
 Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  
 CRN EXPIRES MARCH 7, 2026-DG.

BOILER & PRESSURE VESSEL  
NOVA SCOTIA  
Date July 26/19  
C.R.N. OC10908.58ADD13  
Dwg. as described  
Signed Yvonne Perry  
1 of 1  
Part  
ACT & REGULATIONS

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="checkbox"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center" style="font-size: 2em;"><i>"Apollo"</i></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                  ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21st day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Straun  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL



<p align="center">This registration must be revalidated after ten (10) years from the date of registration</p> <p>CRN: <u>OC10908.5 ADD13</u>                  FID#: <u>2174</u>  <b>3 PC. STANDARD PORT BALL VALVES-DG.</b>                  Notes:                  1. All fittings shall be registered in the name of the Manufacturer.                  2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.                  3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.                  4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  <b>CRN EXPIRES MARCH 7, 2026-DG.</b></p>	<p align="center">New Brunswick / Nouveau Brunswick                  DEPT OF JUSTICE PUBLIC SAFETY                  BOILER &amp; PRESSURE VESSEL ACT</p> <p align="center">REGISTRATION ONLY                  CRN <u>OC10908.57Add13</u>  <u>Nancy Straun</u>                  CHIEF BOILER INSPECTOR                  DATE <u>7/26/2019</u></p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

BLRs       PVs  
 FITTINGS       NUCLEAR COMPONENTS

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON


PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center" style="font-size: 2em;"><i>'Apollo'</i></p>	
<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>	
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                   ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I Ryan Taylor (see note 2) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21st day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC10908.5 ADD13

FID#: 2174

3 PC. STANDARD PORT BALL VALVES-DG.

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

CRN EXPIRES MARCH 7, 2026-DG.

Newfoundland  
Labrador

**Service NL**

Registered OC10908.50 ADD.13  
 Date 19/07/29  
 Engineering and Inspection Services  
 Registered by [Signature]

UNDER THE AUTHORITY OF THE  
PUBLIC SAFETY ACT AND  
THE BOILER, PRESSURE VESSEL AND  
COMPRESSED GAS REGULATIONS

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>CONBRACO INDUSTRIES, INC.</b>	
MANUFACTURERS ADDRESS: <b>1418 S. PEARL STREET, PAGELAND, SC 29728</b>	
PLANT LOCATIONS: <b>CONWAY, SC</b>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="checkbox"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p><b>ASME B16.34</b> or <b>ASME B31.3</b></p>
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center" style="font-size: 2em;"><i>'Apollo'</i></p>	
<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>	
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                   ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Straun  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL OF THE NOTARY PUBLIC




This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C10908.5 ADD13  
 FID#: 2174  
**3 PC. STANDARD PORT BALL VALVES-DG.**

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

**CRN EXPIRES MARCH 7, 2026-DG.**



**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>CONBRACO INDUSTRIES, INC.</b>	
MANUFACTURERS ADDRESS: <b>1418 S. PEARL STREET, PAGELAND, SC 29728</b>	
PLANT LOCATIONS: <b>CONWAY, SC</b>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="checkbox"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p><b>ASME B16.34 or ASME B31.3</b></p>
<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center"><b>'Apollo'</b></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>
<p align="center"><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                   ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I Ryan Taylor (see note 2) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL OF THE NOTARY PUBLIC OF SOUTH CAROLINA



This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of compliance.

CRN: OC10908.5 ADD13  
 FID#: 2174  
3 PC. STANDARD PORT BALL VALVES-DG.  
 Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  
 CRN EXPIRES MARCH 7, 2026-DG.

Northwest Territories

**REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.**

C.R.N. OC10908.5 ADD13  
 SIGNED \_\_\_\_\_  
 DATE July 29 2019

163.00

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: **CONBRACO INDUSTRIES, INC.**  
 MANUFACTURERS ADDRESS: **1418 S PEARL STREET, PAGELAND, SC 29728**  
 PLANT LOCATION: **CONWAY, SC**

**CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY**

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  
 B Flanges: all flanges  
 C Valves: all line valves  
 D Expansion joints, flexible connections, and hose assemblies: all types  
 E Strainers: filters, separators, and steam traps  
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  
 H Pressure retaining components that do not fall into one of the above categories  
 N Nuclear components: Class 1  Class 2  Class 3  (Meeting AECB or ASME requirements)

**PART OF THE STANDARD OR EQUIVALENT**  
 ASME B16.34  
 or  
 ASME B31.3

**SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT**


**"Apollo"**

**TYPE OF CONSTRUCTION**  
 FORGED  WELDED  WROUGHT   
 CAST  OTHER   
 DESCRIBE OTHER:

**LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:**  
 PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)  
 ISO 9001:2015 CERTIFICATE

**DECLARATION:**  
 I, Ryan Taylor (name and title), employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)



This space for Regulatory use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C10908.5 ADD13  
 FID#: 2174  
**3 PC. STANDARD PORT BALL VALVES-DG.**  
 Notes:  
 1. All fittings shall be registered in the name of the Manufacturer;  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years  
**CRN EXPIRES MARCH 7, 2026-DG.**

**NUNAVUT**  
 Boilers and  
 Pressure Vessels Act

**REGISTERED**

CRN 0C10908.5NADD13  
 Date July 26, 2019  
 Signed \_\_\_\_\_  
 Chief Inspector

**Territorial Registration Fee**



345 Carlingview Drive  
Toronto, Ontario  
CANADA M9W 6N9  
Tel.: 416.734.3300  
Fax.: 416.231.1626  
Toll Free: 1.877.682.8772  
[www.tssa.org](http://www.tssa.org)

September 11, 2019

Ryan Taylor  
CONBRACO INDUSTRIES  
1418 PEARL STREET  
PAGELAND SC 29728  
US

Service Request Type.: BPV-National ACI Central  
Service Request No.: 2634144  
Your Reference No.:  
Registered to.: CONBRACO INDUSTRIES

Dear Ryan Taylor,

Please find enclosed the original response from PEI, NS, NB, NFLD, YK, NWT, NU,  
registered under the CRN No.: 0C10908.59870YTNADD13.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any  
jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you.  
For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail  
[customerservices@tssa.org](mailto:customerservices@tssa.org). When contacting TSSA regarding this file, please refer to the Service Request number  
provided above.

Yours truly,

Tanya Francis  
Administrative Assistant\_ BPV Engineering  
Tel. : 416-734-3423  
Fax : 416-231-6183  
Email : [tfrancis@tssa.org](mailto:tfrancis@tssa.org)

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON


PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>CONBRACO INDUSTRIES, INC.</b>	
MANUFACTURERS ADDRESS: <b>1418 S. PEARL STREET, PAGELAND, SC 29728</b>	
PLANT LOCATIONS: <b>CONWAY, SC</b>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center" style="font-size: 2em;"><i>"Apollo"</i></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>
<p align="center"><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                   ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I, Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)



This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>OC10908.5 ADD13</u> FID#: <u>2174</u> <b>3 PC. STANDARD PORT BALL VALVES-DG.</b> Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. CRN EXPIRES <u>MARCH 7, 2026-DG.</u>	<p><b>ACCEPTED</b></p> <p>PROVINCE OF PRINCE EDWARD ISLAND                  COMMUNITIES, LAND &amp; ENVIRONMENT</p> <p>C.R.N. <u>OC10908.59 ADD13</u>                  DATE: <u>July 26 2019</u>  <u>James McCabe</u>                  INSPECTION SERVICES SECTION                  BOILER/PRESSURE VESSEL BRANCH</p>

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b>	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><b>C Valves: all line valves</b></p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting AECB or ASME requirements)</p>	TITLE OF THE STANDARD OF CONSTRUCTION ASME B16.34 or ASME B31.3
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT) ISO 9001:2015 CERTIFICATE	

DECLARATION:

I, Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at Pageland, SC

This 21st day of May AD 2019

Commissioner of Oaths or Notary Public: (sign) Nancy Strawn

(Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL OF THE



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC10908.5 ADD13

FID#: 2174

3 PC. STANDARD PORT BALL VALVE-DG.

- Notes:
- All fittings shall be registered in the name of the Manufacturer.
  - Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
  - The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
  - Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

CRN EXPIRES MARCH 7, 2026-DG.



Date July 26/19

C.R.N. OC10908.58ADD13

Dwg. as described

Signed Yvonne Perry

1 of 1

Part



**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="checkbox"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center" style="font-size: 2em;"><i>Apollo</i></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>
<p align="center"><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                  ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21st day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Straun  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL



<p align="center">This registration must be revalidated after ten (10) years from the date of registration</p> <p>CRN: <u>OC10908.5 ADD13</u>                  FID#: <u>2174</u>  <u>3 PC. STANDARD PORT BALL VALVES-DG.</u>                  Notes:                  1. All fittings shall be registered in the name of the Manufacturer.                  2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.                  3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.                  4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  <u>CRN EXPIRES MARCH 7, 2026-DG.</u></p>	<p align="center">New Brunswick                  DEPT OF JUSTICE PUBLIC SAFETY                  BOILER &amp; PRESSURE VESSEL ACT</p> <p align="center">REGISTRATION ONLY                  CRN <u>OC10908.57Add13</u>  <u>[Signature]</u>                  CHIEF BOILER INSPECTOR                  DATE <u>7/26/2019</u></p>
<p><input type="checkbox"/> BLRs      <input type="checkbox"/> PVs  <input checked="" type="checkbox"/> FITTINGS      <input type="checkbox"/> NUCLEAR COMPONENTS</p>	

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center" style="font-size: 2em;"><i>'Apollo'</i></p>	
<p align="right"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>	
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                   ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I Ryan Taylor (see note 2) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21st day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICE OF PUBLIC SAFETY



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC10908.5 ADD13

FID#: 2174

3 PC. STANDARD PORT BALL VALVES DG.

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

CRN EXPIRES MARCH 7, 2026-DG.

Newfoundland  
 Labrador  
 Service NL  
 Registered OC10908.50 ADD.13  
 Date 19/07/29  
 Engineering and Inspection Services  
 Registered by [Signature]  
 UNDER THE AUTHORITY OF THE  
 PUBLIC SAFETY ACT AND  
 THE BOILER, PRESSURE VESSEL AND  
 COMPRESSED GAS REGULATIONS

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>CONBRACO INDUSTRIES, INC.</b>
MANUFACTURERS ADDRESS: <b>1418 S. PEARL STREET, PAGELAND, SC 29728</b>
PLANT LOCATIONS: <b>CONWAY, SC</b>

<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers          B Flanges: all flanges  <input checked="" type="checkbox"/> C Valves: all line valves          D Expansion joints, flexible connections, and hose assemblies: all types          E Strainers, filters, separators, and steam traps          F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters          G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs          H Pressure retaining components that do not fall into one of the above categories          N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------

<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center"><b>'Apollo'</b></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>          CAST <input type="checkbox"/> OTHER <input type="checkbox"/>          DESCRIBE OTHER:</p>
-------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------


**LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:**

PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)  
 ISO 9001:2015 CERTIFICATE

**DECLARATION:**  
 I, Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strain  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL OF THE NOTARY PUBLIC



This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C10908.5 ADD13  
 FID#: 2174  
3 PC. STANDARD PORT BALL VALVES-DG.  
 Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  
CRN EXPIRES MARCH 7, 2026-DG.



**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>CONBRACO INDUSTRIES, INC.</b>	
MANUFACTURERS ADDRESS: <b>1418 S. PEARL STREET, PAGELAND, SC 29728</b>	
PLANT LOCATIONS: <b>CONWAY, SC</b>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="checkbox"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p><b>ASME B16.34</b> or <b>ASME B31.3</b></p>
<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center"><b>'Apollo'</b></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>
<p align="center"><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                  ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I Ryan Taylor (see note 2) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL OF THE NOTARY PUBLIC OF SOUTH CAROLINA



This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of compliance.

CRN: OC10908.5 ADD13  
 FID#: 2174  
3 PC. STANDARD PORT BALL VALVES-DG.  
 Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  
 CRN EXPIRES MARCH 7, 2026-DG.

Northwest Territories

**REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.**

C.R.N. OC10908.5 ADD13  
 SIGNED \_\_\_\_\_  
 DATE July 29 2019

163.00

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: **CONBRACO INDUSTRIES, INC.**  
 MANUFACTURERS ADDRESS: **1418 S PEARL STREET, PAGELAND, SC 29728**  
 PLANT LOCATION: **CONWAY, SC**

**CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY**

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  
 B Flanges: all flanges  
 C Valves: all line valves  
 D Expansion joints, flexible connections, and hose assemblies: all types  
 E Strainers: filters, separators, and steam traps  
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  
 H Pressure retaining components that do not fall into one of the above categories  
 N Nuclear components: Class 1  Class 2  Class 3  (Meeting AECB or ASME requirements)

**PART OF THE STANDARD OR EQUIVALENT**  
 ASME B16.34  
 or  
 ASME B31.3

**SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT**


**"Apollo"**

**TYPE OF CONSTRUCTION**  
 FORGED  WELDED  WROUGHT   
 CAST  OTHER   
 DESCRIBE OTHER:

**LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:**  
 PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)  
 ISO 9001:2015 CERTIFICATE

**DECLARATION:**  
 I, Ryan Taylor (name and title), employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)



This space for Regulatory use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C10908.5 ADD13  
 FID#: 2174  
**3 PC. STANDARD PORT BALL VALVES-DG.**

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer;  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years  
**CRN EXPIRES MARCH 7, 2026-DG.**

**NUNAVUT**  
 Boilers and Pressure Vessels Act

**REGISTERED**

CRN 0C10908.5NADD13  
 Date July 26, 2019  
 Signed \_\_\_\_\_  
 Chief Inspector

Territorial Registration Fee



345 Carlingview Drive  
Toronto, Ontario  
CANADA M9W 6N9  
Tel.: 416.734.3300  
Fax.: 416.231.1626  
Toll Free: 1.877.682.8772  
[www.tssa.org](http://www.tssa.org)

September 11, 2019

Ryan Taylor  
CONBRACO INDUSTRIES  
1418 PEARL STREET  
PAGELAND SC 29728  
US

Service Request Type.: BPV-National ACI Central  
Service Request No.: 2634144  
Your Reference No.:  
Registered to.: CONBRACO INDUSTRIES

Dear Ryan Taylor,

Please find enclosed the original response from PEI, NS, NB, NFLD, YK, NWT, NU,  
registered under the CRN No.: 0C10908.59870YTNADD13.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any  
jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you.  
For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail  
[customerservices@tssa.org](mailto:customerservices@tssa.org). When contacting TSSA regarding this file, please refer to the Service Request number  
provided above.

Yours truly,

Tanya Francis  
Administrative Assistant\_ BPV Engineering  
Tel. : 416-734-3423  
Fax : 416-231-6183  
Email : [tfrancis@tssa.org](mailto:tfrancis@tssa.org)

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON


PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> ASME B16.34 or ASME B31.3
<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center"><i>"Apollo"</i></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
<p align="center"><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)  ISO 9001:2015 CERTIFICATE	

**DECLARATION:**  
 I, Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)



This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC10908.5 ADD13  
 FID#: 2174  
3 PC. STANDARD PORT BALL VALVES-DG.  
 Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  
 CRN EXPIRES MARCH 7, 2026-DG.

**ACCEPTED**  
 PROVINCE OF PRINCE EDWARD ISLAND  
 COMMUNITIES, LAND & ENVIRONMENT  
 C.R.N. OC10908.59 ADD13  
 DATE: July 26 2019  
James McCabe  
 INSPECTION SERVICES SECTION  
 BOILER/PRESSURE VESSEL BRANCH


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR


MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><b>C Valves: all line valves</b></p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting AECB or ASME requirements)</p>	TITLE OF THE STANDARD OF CONSTRUCTION ASME B16.34 or ASME B31.3
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT) ISO 9001:2015 CERTIFICATE	

DECLARATION:

I, Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
Declared before me at Pageland, SC  
This 21<sup>st</sup> day of May AD 2019  
Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
(Affix Official seal to the right)


USE THIS SPACE FOR THE OFFICIAL SEAL OF THE NOTARY PUBLIC OF SOUTH CAROLINA



This space for Regulatory Authority use  
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC10908.5 ADD13  
FID#: 2174  
3 PC. STANDARD PORT BALL VALVE-DG.

Notes:  
1. All fittings shall be registered in the name of the Manufacturer.  
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  
CRN EXPIRES MARCH 7, 2026-DG.

  
 Date July 26/19  
 C.R.N. OC10908.58ADD13  
 Dwg. as described  
 Signed Yvonne Perry  
1 of 1  
 Part  
 ACT & REGULATIONS

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="checkbox"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center" style="font-size: 2em;"><i>"Apollo"</i></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                  ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21st day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Straun  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL



<p align="center">This registration must be revalidated after ten (10) years from the date of registration.</p> <p>CRN: <u>OC10908.5 ADD13</u>                  FID#: <u>2174</u>  <u>3 PC. STANDARD PORT BALL VALVES-DG.</u>                  Notes:                  1. All fittings shall be registered in the name of the Manufacturer.                  2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.                  3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.                  4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.                  CRN EXPIRES <u>MARCH 7, 2026-DG.</u></p>	<p align="center">New Brunswick / Nouveau Brunswick                  DEPT OF JUSTICE PUBLIC SAFETY                  BOILER &amp; PRESSURE VESSEL ACT</p> <p align="center">REGISTRATION ONLY                  CRN <u>OC10908.57Add13</u>  <u>Nancy Straun</u>                  CHIEF BOILER INSPECTOR                  DATE <u>7/26/2019</u></p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

BLRs       PVs  
 FITTINGS       NUCLEAR COMPONENTS

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center" style="font-size: 2em;"><i>'Apollo'</i></p>	
<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>	
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                   ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I Ryan Taylor (see note 2) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21st day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICE OF PUBLIC SAFETY



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC10908.5 ADD13

FID#: 2174

3 PC. STANDARD PORT BALL VALVES-DG.

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

CRN EXPIRES MARCH 7, 2026-DG.

Newfoundland  
 Labrador  
 Service NL  
 Registered OC10908.50 ADD.13  
 Date 19/07/29  
 Engineering and Inspection Services  
 Registered by [Signature]  
 UNDER THE AUTHORITY OF THE  
 PUBLIC SAFETY ACT AND  
 THE BOILER, PRESSURE VESSEL AND  
 COMPRESSED GAS REGULATIONS

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>CONBRACO INDUSTRIES, INC.</b>	
MANUFACTURERS ADDRESS: <b>1418 S. PEARL STREET, PAGELAND, SC 29728</b>	
PLANT LOCATIONS: <b>CONWAY, SC</b>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="checkbox"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center" style="font-size: 2em;"><i>'Apollo'</i></p>	
<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>	
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                   ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I, Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strain  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL OF THE



This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>0C10908.5 ADD13</u>	
FID#: <u>2174</u>	
<b>3 PC. STANDARD PORT BALL VALVES-DG.</b>	
Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. <b>CRN EXPIRES MARCH 7, 2026-DG.</b>	

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>CONBRACO INDUSTRIES, INC.</b>	
MANUFACTURERS ADDRESS: <b>1418 S. PEARL STREET, PAGELAND, SC 29728</b>	
PLANT LOCATIONS: <b>CONWAY, SC</b>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="checkbox"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p><b>ASME B16.34</b> or <b>ASME B31.3</b></p>
<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center"><b>'Apollo'</b></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>
<p align="center"><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                  ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I Ryan Taylor (see note 2) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL OF THE NOTARY PUBLIC OF SOUTH CAROLINA



This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of compliance.

CRN: OC10908.5 ADD13  
 FID#: 2174  
3 PC. STANDARD PORT BALL VALVES-DG.  
 Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  
 CRN EXPIRES MARCH 7, 2026-DG.

  
 Northwest Territories  
**REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.**  
 C.R.N. OC10908.5 ADD13  
 SIGNED \_\_\_\_\_  
 DATE July 29 2019

163.00

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: **CONBRACO INDUSTRIES, INC.**  
 MANUFACTURERS ADDRESS: **1418 S PEARL STREET, PAGELAND, SC 29728**  
 PLANT LOCATION: **CONWAY, SC**

**CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY**

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  
 B Flanges: all flanges  
 C Valves: all line valves  
 D Expansion joints, flexible connections, and hose assemblies: all types  
 E Strainers: filters, separators, and steam traps  
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  
 H Pressure retaining components that do not fall into one of the above categories  
 N Nuclear components: Class 1  Class 2  Class 3  (Meeting AECB or ASME requirements)

**PART OF THE STANDARD OR EQUIVALENT**  
 ASME B16.34  
 or  
 ASME B31.3

**SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT**

**"Apollo"**


**TYPE OF CONSTRUCTION**  
 FORGED  WELDED  WROUGHT   
 CAST  OTHER   
 DESCRIBE OTHER:

**LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:**

PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)  
 ISO 9001:2015 CERTIFICATE

**DECLARATION:**  
 I, Ryan Taylor (name and title), employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)



This space for Regulatory use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C10908.5 ADD13  
 FID#: 2174  
**3 PC. STANDARD PORT BALL VALVES-DG.**  
 Notes:  
 1. All fittings shall be registered in the name of the Manufacturer;  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years  
**CRN EXPIRES MARCH 7, 2026-DG.**

**NUNAVUT**  
 Boilers and Pressure Vessels Act

**REGISTERED**

CRN 0C10908.5NADD13  
 Date July 26, 2019  
 Signed \_\_\_\_\_  
 Chief Inspector

**Territorial Registration Fee**



345 Carlingview Drive  
Toronto, Ontario  
CANADA M9W 6N9  
Tel.: 416.734.3300  
Fax.: 416.231.1626  
Toll Free: 1.877.682.8772  
[www.tssa.org](http://www.tssa.org)

September 11, 2019

Ryan Taylor  
CONBRACO INDUSTRIES  
1418 PEARL STREET  
PAGELAND SC 29728  
US

Service Request Type.: BPV-National ACI Central  
Service Request No.: 2634144  
Your Reference No.:  
Registered to.: CONBRACO INDUSTRIES

Dear Ryan Taylor,

Please find enclosed the original response from PEI, NS, NB, NFLD, YK, NWT, NU,  
registered under the CRN No.: 0C10908.59870YTNADD13.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any  
jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you.  
For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail  
[customerservices@tssa.org](mailto:customerservices@tssa.org). When contacting TSSA regarding this file, please refer to the Service Request number  
provided above.

Yours truly,

Tanya Francis  
Administrative Assistant\_ BPV Engineering  
Tel. : 416-734-3423  
Fax : 416-231-6183  
Email : [tfrancis@tssa.org](mailto:tfrancis@tssa.org)

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON


PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>CONBRACO INDUSTRIES, INC.</b>	
MANUFACTURERS ADDRESS: <b>1418 S. PEARL STREET, PAGELAND, SC 29728</b>	
PLANT LOCATIONS: <b>CONWAY, SC</b>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center" style="font-size: 2em;"><i>"Apollo"</i></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                  ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I, Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)



This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>OC10908.5 ADD13</u> FID#: <u>2174</u> <b>3 PC. STANDARD PORT BALL VALVES-DG.</b> Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. CRN EXPIRES <u>MARCH 7, 2026-DG.</u>	<p><b>ACCEPTED</b></p> <p>PROVINCE OF PRINCE EDWARD ISLAND                  COMMUNITIES, LAND &amp; ENVIRONMENT</p> <p>C.R.N. <u>OC10908.59 ADD13</u>                  DATE: <u>July 26 2019</u>  <u>James McCabe</u>                  INSPECTION SERVICES SECTION                  BOILER/PRESSURE VESSEL BRANCH</p>


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR


MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><b>C Valves: all line valves</b></p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting AECB or ASME requirements)</p>	TITLE OF THE STANDARD OF CONSTRUCTION ASME B16.34 or ASME B31.3
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT) ISO 9001:2015 CERTIFICATE	

DECLARATION:

I, Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
Declared before me at Pageland, SC  
This 21st day of May AD 2019  
Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
(Affix Official seal to the right)


USE THIS SPACE FOR THE OFFICIAL SEAL OF THE NOTARY PUBLIC OF SOUTH CAROLINA



This space for Regulatory Authority use  
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC10908.5 ADD13  
FID#: 2174  
**3 PC. STANDARD PORT BALL VALVE-DG.**

Notes:  
1. All fittings shall be registered in the name of the Manufacturer.  
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  
**CRN EXPIRES MARCH 7, 2026-DG.**

  
 Date July 26/19  
 C.R.N. OC10908.58ADD13  
 Dwg. as described  
 Signed Yvonne Perry  
 1 of 1  
 Part  
 ACT & REGULATIONS

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="checkbox"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center" style="font-size: 2em;"><i>"Apollo"</i></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                  ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21st day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Straun  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL



<p align="center">This registration must be revalidated after ten (10) years from the date of registration.</p> <p>CRN: <u>OC10908.5 ADD13</u>                  FID#: <u>2174</u>  <u>3 PC. STANDARD PORT BALL VALVES-DG.</u>                  Notes:                  1. All fittings shall be registered in the name of the Manufacturer.                  2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.                  3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.                  4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.                  CRN EXPIRES <u>MARCH 7, 2026-DG.</u></p>	<p align="center">New Brunswick / Nouveau Brunswick                  DEPT OF JUSTICE PUBLIC SAFETY                  BOILER &amp; PRESSURE VESSEL ACT</p> <p align="center">REGISTRATION ONLY                  CRN <u>OC10908.57Add13</u>  <u>Nancy Straun</u>                  CHIEF BOILER INSPECTOR                  DATE <u>7/26/2019</u></p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

BLRs       PVs  
 FITTINGS       NUCLEAR COMPONENTS

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON


PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: CONBRACO INDUSTRIES, INC.	
MANUFACTURERS ADDRESS: 1418 S. PEARL STREET, PAGELAND, SC 29728	
PLANT LOCATIONS: CONWAY, SC	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center" style="font-size: 2em;"><i>'Apollo'</i></p>	
<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>	
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                   ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I Ryan Taylor (see note 2) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21st day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC10908.5 ADD13

FID#: 2174

3 PC. STANDARD PORT BALL VALVES DG.

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

CRN EXPIRES MARCH 7, 2026-DG.

Newfoundland  
Labrador

**Service NL**

Registered OC10908.50 ADD.13  
 Date 19/07/29  
 Engineering and Inspection Services  
 Registered by [Signature]

UNDER THE AUTHORITY OF THE  
PUBLIC SAFETY ACT AND  
THE BOILER, PRESSURE VESSEL AND  
COMPRESSED GAS REGULATIONS

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>CONBRACO INDUSTRIES, INC.</b>
MANUFACTURERS ADDRESS: <b>1418 S. PEARL STREET, PAGELAND, SC 29728</b>
PLANT LOCATIONS: <b>CONWAY, SC</b>

<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers          B Flanges: all flanges  <input checked="" type="checkbox"/> C Valves: all line valves          D Expansion joints, flexible connections, and hose assemblies: all types          E Strainers, filters, separators, and steam traps          F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters          G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs          H Pressure retaining components that do not fall into one of the above categories          N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B16.34 or ASME B31.3</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------

<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center"><b>'Apollo'</b></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>          CAST <input type="checkbox"/> OTHER <input type="checkbox"/>          DESCRIBE OTHER:</p>
-------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------


**LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:**

PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)  
 ISO 9001:2015 CERTIFICATE

**DECLARATION:**  
 I, Ryan Taylor (see note 3) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strain  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL OF THE NOTARY PUBLIC



This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C10908.5 ADD13  
 FID#: 2174  
3 PC. STANDARD PORT BALL VALVES-DG.  
 Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  
CRN EXPIRES MARCH 7, 2026-DG.



**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>CONBRACO INDUSTRIES, INC.</b>	
MANUFACTURERS ADDRESS: <b>1418 S. PEARL STREET, PAGELAND, SC 29728</b>	
PLANT LOCATIONS: <b>CONWAY, SC</b>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="checkbox"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p><b>ASME B16.34</b> or <b>ASME B31.3</b></p>
<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center"><b>'Apollo'</b></p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>
<p align="center"><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)                  ISO 9001:2015 CERTIFICATE</p>	

**DECLARATION:**  
 I Ryan Taylor (see note 2) employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL



This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of compliance.

CRN: OC10908.5 ADD13  
 FID#: 2174  
3 PC. STANDARD PORT BALL VALVES-DG.  
 Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.  
 CRN EXPIRES MARCH 7, 2026-DG.

Northwest Territories

**REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.**

C.R.N. OC10908.5 ADD13  
 SIGNED \_\_\_\_\_  
 DATE July 29 2019

163.00

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: **CONBRACO INDUSTRIES, INC.**  
 MANUFACTURERS ADDRESS: **1418 S PEARL STREET, PAGELAND, SC 29728**  
 PLANT LOCATION: **CONWAY, SC**

**CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY**

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  
 B Flanges: all flanges  
 C Valves: all line valves  
 D Expansion joints, flexible connections, and hose assemblies: all types  
 E Strainers: filters, separators, and steam traps  
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  
 H Pressure retaining components that do not fall into one of the above categories  
 N Nuclear components: Class 1  Class 2  Class 3  (Meeting AECB or ASME requirements)

**PART OF THE STANDARD OR EQUIVALENT**  
 ASME B16.34  
 or  
 ASME B31.3

**SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT**


**"Apollo"**

**TYPE OF CONSTRUCTION**  
 FORGED  WELDED  WROUGHT   
 CAST  OTHER   
 DESCRIBE OTHER:

**LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:**  
 PRODUCT DOCUMENTATION (DRAWINGS, TECHNICAL SHEETS, DESIGN REPORT)  
 ISO 9001:2015 CERTIFICATE

**DECLARATION:**  
 I, Ryan Taylor (name and title), employed by Conbraco Ind. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by \_\_\_\_\_ as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pageland, SC  
 This 21<sup>st</sup> day of May AD 2019  
 Commissioner of Oaths or Notary Public: (sign) Nancy Strawn  
 (Affix Official seal to the right)



This space for Regulatory use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C10908.5 ADD13  
 FID#: 2174  
**3 PC. STANDARD PORT BALL VALVES-DG.**  
 Notes:  
 1. All fittings shall be registered in the name of the Manufacturer;  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years  
**CRN EXPIRES MARCH 7, 2026-DG.**

**NUNAVUT**  
 Boilers and  
 Pressure Vessels Act

**REGISTERED**

CRN 0C10908.5NADD13  
 Date July 26, 2019  
 Signed \_\_\_\_\_  
 Chief Inspector

**Territorial Registration Fee**