



Recognises that

Aalberts Integrated Piping Systems Ltd.

St Catherines Avenue, Doncaster, Yorkshire DN4 8DF, United Kingdom

Has had the following products certified as complying with:

The requirements of Regulation 4.1.a of the Water Supply (Water Fittings) Regulations 1999 in England and Wales, the Water Supply (Water Fittings) (Scotland) Byelaws 2014 and the Water Supply (Water Fittings) Regulations (Northern Ireland) 2009

Description: Tectite Classic range of DZR brass push-fit fittings. For use with copper pipe (manufactured to BS EN 1057), PB pipe (manufactured to BS 7291-2) or PE-X (manufactured to BS 7291-3)

Please see Annex A for the list of products certified.

For full details of the certified range of products and any restrictions, please visit the NSF REG4 section of the official NSF listings at nsf.org. Products appearing in the NSF official listing for the REG4 1+ Scheme are authorised to bear the NSF Mark on the left below. NSF does not authorise the use of the UKAS Product Certification Mark shown on the right below. Please refer to the NSF REG4 Certification Policies for mark usage requirements.



Simon Warburton – Operations Manager

Certificate Number: 2407857b

Issue Date: 25-Jul-2024

Review Date: 24-Jul-2029



0110

NSF Confidential

This certificate is the property of NSF and must be returned upon request. This certificate remains valid as long as the referenced products are listed in the NSF official listing for the referenced standard. For the most current and complete listing information, please access NSF's website (www.nsf.org).

NSF Wales Limited (Trading as NSF) Unit 30 Fern Close, Pen-Y-Fan Industrial Estate, Oakdale, Gwent, NP11 3EH Tel: +44(0) 1495 236 260


 Certified Product to
NSF-REG-1+

Annex A – list of certified products

45112 - T1/T270 - Straight coupling	14mm	45108 - T1/T270 - Straight coupling	10mm
45114 - T1/T270 - Straight coupling	15mm	45120 - T1/T270 - Straight coupling	20mm
45118 - T1/T270 - Straight coupling	18mm	45155 - T1R/T240 - Reducing coupling	12 x 10mm
45121 - T1/T270 - Straight coupling	22mm	45157 - T1R/T240 - Reducing coupling	14 x 12mm
45206 - T2/T270G - Straight female connector	15mm x 1/2"	45159 - T1R/T240 - Reducing coupling	15 x 10mm
45267 - T3T/T243G - Straight male connector	15mm x 1/2"	45161 - T1R/T240 - Reducing coupling	15 x 12mm
45354 - T3P - Straight male connector	14mm x 3/8"	45163 - T1R/T240 - Reducing coupling	16 x 12mm
45514 - T12/T090 - Elbow	14mm	45165 - T1R/T240 - Reducing coupling	16 x 14mm
45516 - T12/T090 - Elbow	15mm	45167 - T1R/T240 - Reducing coupling	18 x 15mm
45520 - T12/T090 - Elbow	18mm	45172 - T1R/T240 - Reducing coupling	22 x 15mm
45524 - T12/T090 - Elbow	22mm	45174 - T1R/T240 - Reducing coupling	22 x 18mm
45496 - T12S/T092 - Street elbow	15mm	45178 - T1R/T240 - Reducing coupling	28 x 22mm
45500 - T12S/T092 - Street elbow	22mm	45144 - T1S/T270S - Slip coupling	28mm
45497 - T12SNP/T092 - Street elbow	15mm	45194 - T2/T270G - Straight female connector	12mm x 3/8"
45561 - T13/T092G - Male elbow	15mm x 1/2"	45196 - T2/T270G - Straight female connector	12mm x 1/2"
45576 - T13/T092G - Male elbow	22mm x 3/4"	45200 - T2/T270G - Straight female connector	14mm x 3/8"
45620 - T14/T090G - Female elbow	22mm x 3/4"	45202 - T2/T270G - Straight female connector	14mm x 1/2"
45664 - T24/T130 - Equal tee	14mm	45204 - T2/T270G - Straight female connector	15mm x 3/8"
45666 - T24/T130 - Equal tee	15mm	45209 - T2/T270G - Straight female connector	16mm x 1/2"
45676 - T24/T130 - Equal tee	22mm	45210 - T2/T270G - Straight female connector	18mm x 1/2"
45820 - T27/T130 - Tee, one end and branch reduced	22 x 15 x 15mm	45212 - T2/T270G - Straight female connector	18mm x 3/4"
45864 - T61/T301 - Stop end	14mm	45220 - T2/T270G - Straight female connector	22mm x 1/2"
45866 - T61/T301 - Stop end	15mm	45222 - T2/T270G - Straight female connector	22mm x 3/4"
45874 - T61/T301 - Stop end	22mm	45223 - T2/T270G - Straight female connector	22mm x 1"
45115 - T1CP - Straight coupling	15mm	45224 - T2/T270G - Straight female connector	28mm x 3/4"
45517 - T12CP - Elbow	15mm	45225 - T2/T270G - Straight female connector	28mm x 1"
45562 - T13CP - Male elbow	15mm x 1/2"	45250 - T3T/T243G - Straight male connector	10mm x 3/8"
45667 - T24CP - Equal tee	15mm	45252 - T3T/T243G - Straight male connector	10mm x 1/2"
45867 - T61CP - Stop end	15mm	45254 - T3T/T243G - Straight male connector	12mm x 3/8"

NSF Confidential

This certificate is the property of NSF and must be returned upon request. This certificate remains valid as long as this client has products in the listing for the referenced standard. For the most current and complete listing information, please access NSF's website (www.nsf.org).



Certified Product to
NSF-REG-1*

45256 - T3T/T243G - Straight male connector	12mm x 1/2"	45594 - T14/T090G - Female elbow	12mm x 3/8"
45265 - T3T/T243G - Straight male connector	15mm x 3/8"	45596 - T14/T090G - Female elbow	12mm x 1/2"
45286 - T3T/T243G - Straight male connector	18mm x 1/2"	45608 - T14/T090G - Female elbow	16mm x 1/2"
45288 - T3T/T243G - Straight male connector	18mm x 3/4"	45614 - T14/T090G - Female elbow	18mm x 1/2"
45290 - T3T/T243G - Straight male connector	22mm x 1/2"	45622 - T14/T090G - Female elbow	28mm x 1"
45292 - T3T/T243G - Straight male connector	22mm x 3/4"	45640 - T15/T471G - Backplate elbow	14mm x 1/2"
45294 - T3T/T243G - Straight male connector	22mm x 1"	45648 - T15/T471G - Backplate elbow	16mm x 1/2"
45296 - T3T/T243G - Straight male connector	28mm x 1"	45654 - T15/T471G - Backplate elbow	22mm x 3/4"
45356 - T3P - Straight male connector	14mm x 1/2"	45535 - T21/T041 - Obtuse elbow	15mm
45358 - T3P - Straight male connector	15mm x 1/2"	45538 - T21/T041 - Obtuse elbow	22mm
45362 - T3P - Straight male connector	16mm x 1/2"	45542 - T21S/T040 - Obtuse street elbow	15mm
45366 - T3P - Straight male connector	22mm x 3/4"	45544 - T21S/T040 - Obtuse street elbow	18mm
45368 - T3P - Straight male connector	22mm x 1"	45545 - T21S/T040 - Obtuse street elbow	22mm
45410 - T6/T243 - Reducer larger end male	12 x 10mm	45546 - T21S/T040 - Obtuse street elbow	28mm
45416 - T6/T243 - Reducer larger end male	15 x 10mm	45660 - T24/T130 - Equal tee	10mm
45418 - T6/T243 - Reducer larger end male	15 x 12mm	45662 - T24/T130 - Equal tee	12mm
45424 - T6/T243 - Reducer larger end male	18 x 15mm	45670 - T24/T130 - Equal tee	18mm
45425 - T6/T243 - Reducer larger end male	22 x 12mm	45678 - T24/T130 - Equal tee	28mm
45426 - T6/T243 - Reducer larger end male	22 x 15mm	45724 - T25/T130 - Tee	18 x 18 x 14mm
45430 - T6/T243 - Reducer larger end male	22 x 18mm	45726 - T25/T130 - Tee	20 x 20 x 16mm
45435 - T6/T243 - Reducer larger end male	28 x 15mm	45730 - T25/T130 - Tee	22 x 22 x 10mm
45438 - T6/T243 - Reducer larger end male	28 x 22mm	45736 - T25/T130 - Tee	22 x 22 x 14mm
45518 - T12/T090 - Elbow	16mm	45737 - T25/T130 - Tee	22 x 22 x 15mm
45491 - T12SNP/T092 - Street elbow	10mm	45786 - T26/T130 - Tee	22 x 15 x 22mm
45495 - T12SNP/T092 - Street elbow	10 x 15mm	45793 - T26/T130 - Tee	28 x 22 x 28mm
45556 - T13/T092G - Male elbow	12mm x 1/2"	45812 - T27/T130 - Tee, one end and branch reduced	15 x 12 x 12mm
45560 - T13/T092G - Male elbow	14mm x 1/2"	45822 - T27/T130 - Tee, one end and branch reduced	28 x 22 x 22mm
45563 - T13/T092G - Male elbow	16mm x 1/2"	45823 - T30/T130G - Female branch tee	12 x 12mm x 1/2"
45564 - T13/T092G - Male elbow	16mm x 3/4"	45825 - T30/T130G - Female branch tee	16 x 16mm x 1/2"
45570 - T13/T092G - Male elbow	18mm x 3/4"	45860 - T61/T301 - Stop end	10mm

NSF Confidential

This certificate is the property of NSF and must be returned upon request. This certificate remains valid as long as this client has products in the listing for the referenced standard. For the most current and complete listing information, please access NSF's website (www.nsf.org).



Certified Product to
NSF-REC-1*

45862 - T61/T301 - Stop end	12mm	45268 - T3TCP - Straight male connector	15mm x 1/2"
45868 - T61/T301 - Stop end	16mm	45411 - T6CP - Reducer	12 x 10mm
45870 - T61/T301 - Stop end	18mm	45417 - T6CP - Reducer	15 x 10mm
45872 - T61/T301 - Stop end	20mm	45419 - T6CP - Reducer	15 x 12mm
45876 - T61/T301 - Stop end	28mm	45511 - T12CP - Elbow	10mm
45890 - T61RV/T302 - Air release stop end	10mm	45513 - T12CP - Elbow	12mm
45892 - T61RV/T302 - Air release stop end	15mm	45555 - T13CP - Male elbow	12mm x 3/8"
45894 - T61RV/T302 - Air release stop end	22mm	45557 - T13CP - Male elbow	12mm x 1/2"
45902 - T62/T062 - Tap connector	15mm x 1/2"	45591 - T14CP - Female elbow	10mm x 3/8"
45171 - T62/T062 - Tap connector	15mm x 3/4"	45593 - T14CP - Female elbow	10mm x 1/2"
45903 - T62/T062 - Tap connector	22mm x 3/4"	45597 - T14CP - Female elbow	12mm x 1/2"
45912 - T62S - Tap connector	15mm x 3/4"	45631 - T15CP - Backplate elbow	10mm x 1/2"
40759 - T68FF - flat faced union adaptor	15mm x 3/4"	45639 - T15CP - Backplate elbow	12mm x 1/2"
45940 - TM80 - Manifold	22 x 22 x 10mm	45647 - T15CP - Backplate elbow	15mm x 1/2"
45942 - TM81 - Manifold	22 x 22 x 10 x 10mm	45661 - T24CP - Equal tee	10mm
45109 - T1CP - Straight coupling	10mm	45663 - T24CP - Equal tee	12mm
45111 - T1CP - Straight coupling	12mm	45701 - T25CP - Tee, reduced branch	12 x 12 x 10mm
45156 - T1RCP - Reducing coupling	12mm x 10mm	45718 - T25CP - Tee, reduced branch	15 x 15 x 12mm
45160 - T1RCP - Reducing coupling	15mm x 10mm	45813 - T27CP - Tee	15 x 12 x 12mm
45162 - T1RCP - Reducing coupling	15mm x 12mm	45841 - T30CP - Female branch tee	15mm x 15mm x 1/2"
45191 - T2CP - Straight female connector	10mm x 3/8"	45861 - T61CP - Stop end	10mm
45195 - T2CP - Straight female connector	12mm x 3/8"		
45197 - T2CP - Straight female connector	12mm x 1/2"		
45205 - T2CP - Straight female connector	15mm x 3/8"		
45207 - T2CP - Straight female connector	15mm x 1/2"		
45251 - T3TCP - Straight male connector	10mm x 3/8"		
45253 - T3TCP - Straight male connector	10mm x 1/2"		
45255 - T3TCP - Straight male connector	12mm x 3/8"		
45257 - T3TCP - Straight male connector	12mm x 1/2"		
45266 - T3TCP - Straight male connector	15mm x 3/8"		

NSF Confidential

This certificate is the property of NSF and must be returned upon request. This certificate remains valid as long as this client has products in the listing for the referenced standard. For the most current and complete listing information, please access NSF's website (www.nsf.org).