

# IAPMO OCEANIA

7-11 Fullard Road, Narre Warren, Victoria 3805, Australia /info@iapmooceania.org



IAPMO Oceania is a product certification body which inspects and arranges for the independent laboratory testing of samples taken from the manufacturer's stock or from the market or a combination of both, to verify compliance of the requirements of applicable Standards and Specifications. This activity is coupled with periodic surveillance of the manufacturer's factory and any major subcontractor's site/s as well as the assessment of the manufacturer's Quality Assurance System. This certification is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO R&T Oceania of the product acceptance by Authorities Having Jurisdiction.

## CERTIFICATE OF CONFORMITY

*IAPMO Oceania hereby grants to:*

### **Aalberts Integrated Piping Systems Ltd.**

St. Catherines Avenue, South Yorkshire, Doncaster DN4 8DF United Kingdom

Email: info@aalberts-ips.com

*the right to use the WaterMark in accordance with the ABCB Manual for the WaterMark Certification Scheme; - Australian Standards; WaterMark Technical Specifications; and the Plumbing Code of Australia; only in respect of the certified product as described in the WaterMark Certificate of Conformity - Schedule of Certified Product (Refer also IAPMO Product Listing Directory). The Certificate is granted subject to the rules governing the WaterMark Certification Scheme and the Terms and Conditions of the Approved User Agreement and IAPMO Oceania's WaterMark Governance Rules.*

*Evaluated to:*

### **AS/NZS 2537.2-2011**

Mechanical jointing fittings for use with cross-linked polyethylene (PE-X) for pressure applications - Plastics piping systems for hot and cold water installations - Cross-linked polyethylene (PE-X) - Fittings (ISO 15875-3:2003, MOD)

*Manufacturer:*

Refer to Licence Holder

**Licence No.:** WM-022657

**First Certified:** 22 Mar 2018

**Certification Date:** 22 Mar 2023

**Expiry Date:** 21 Mar 2028

David Viola  
Chief Executive Officer of the IAPMO Group

This WaterMark certification is for the period indicated herein and is void after the date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO Oceania, or any evidence of non-compliance with applicable Standards, Specifications or of inferior workmanship, may be deemed sufficient cause for revocation of this certification. Reproduction of or reference to this certificate for advertising purposes may be made only by specific written permission of IAPMO Oceania. Any alteration of this certificate could be grounds for revocation of this certification.

"This certificate is issued by a JAS-ANZ accredited Conformity Assessment Body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate."



# WATERMARK CERTIFICATE OF CONFORMITY

## SCHEDULE OF CERTIFIED PRODUCT



*Certificate Holder*

**Aalberts Integrated Piping Systems Ltd.**

**A.B.N.:**

St. Catherines Avenue, South Yorkshire, Doncaster DN4 8DF United Kingdom

*Manufacturer*

**Refer to Licence Holder**

*Standard*

**AS/NZS 2537.2-2011**

Mechanical jointing fittings for use with cross-linked polyethylene (PE-X) for pressure applications - Plastics piping systems for hot and cold water installations - Cross-linked polyethylene (PE-X) - Fittings (ISO 15875-3:2003, MOD)

**Licence No. WM-022657**

**Certification Date: 22 Mar 2023**

**Expiry Date: 21 Mar 2028**

**First Certified: 22 Mar 2018**

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Pressure Classification	Material	Additional Product Information
Pegler	Tectite	903201	Cross linked polyethylene fittings	16mm Push Fit (PF) Elbow Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN16 (PF) x DN16 (PF)	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903205	Cross linked polyethylene fittings	16mm Push Fit (PF) Equal Tee Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN16 (PF) x DN16 (PF)	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903200	Cross linked polyethylene fittings	16mm Push Fit (PF) straight coupling Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN20 (PF) x DN20 (PF)	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903204	Cross linked polyethylene fittings	16mm Push Fit (PF) x 1/2 Back Plate Elbow Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN20 (PF) x DN20 (PF)	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903203	Cross linked polyethylene fittings	20mm Push Fit (PF) Elbow Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN16 (PF) x G1/2B	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903211	Cross linked polyethylene fittings	16mm Push fit (PF) x 1/2 Female Elbow Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN16 (PF) x DN16 (PF) x DN16 (PF)	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903216	Cross linked polyethylene fittings	20 x 16 x 20mm Push fit (PF) Tee, one end reduced Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN20 (PF) x G3/4	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Pressure Classification	Material	Additional Product Information
Pegler	Tectite	903220	Cross linked polyethylene fittings	20mm Push fit (PF) x 3/4 Large Back Plate Male Elbow - 200mm Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN20 (PF) x DN16 (PF) x DN16 (PF)	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903224	Cross linked polyethylene fittings	16mm Push fit (PF) x 20mm Push fit (PF) Reducing Coupling Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN16 (PF) x 15Cn	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903202	Cross linked polyethylene fittings	20mm Push Fit (PF) straight Coupling Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN16 (PF) x R1/2	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903206	Cross linked polyethylene fittings	20mm Push Fit (PF) x 3/4 female elbow Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN16 (PF) x G1/2	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903208	Cross linked polyethylene fittings	16mm Push fit (PF) x 15Cn Copper Pex Adapter Angled Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN16 (PF) x DN16 (PF) x G1/2	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903213	Cross linked polyethylene fittings	20mm Push fit (PF) Equal Tee Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN20 (PF) x DN20 (PF) x DN20 (PF)	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903218	Cross linked polyethylene fittings	16mm Push fit (PF) x 1/2 Large Back Plate Male Elbow - 100mm Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN20 (PF) x DN20 (PF) x DN16 (PF)	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903222	Cross linked polyethylene fittings	20mm Push fit (PF) x 1/2 Large Back Plate Male Elbow - 200mm Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN20 (PF) x DN16 (PF) x DN20 (PF)	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903210	Cross linked polyethylene fittings	16mm Push fit (PF) x 1/2 Male Elbow Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN20 (PF) x 20Cn	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903214	Cross linked polyethylene fittings	20 x 20 x 16mm Push fit (PF) Tee, reduced branch Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN16 (PF) x GB1/2	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903219	Cross linked polyethylene fittings	16mm Push fit (PF) x 1/2 Large Top Plate Male Elbow - 100mm Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN16 (PF) x GB1/2	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903223	Cross linked polyethylene fittings	16mm Push fit (PF) x 1/2 Large back Plated Male Elbow - 185mm Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN20 (PF) x GB3/4	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903207	Cross linked polyethylene fittings	20 x 16 x 16mm Push fit (PF) Tee one end and branch reduced Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN20 (PF) x GB1/2	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Pressure Classification	Material	Additional Product Information
Pegler	Tectite	903212	Cross linked polyethylene fittings	16mm Push fit (PF) x 16mm Push fit (PF) x 1/2 Female branch tee Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN20 (PF) x GB1/2	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903217	Cross linked polyethylene fittings	20mm Push fit (PF) x 20Cn Copper Pex Adapter Angled Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN16 (PF) x GB1/2	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903221	Cross linked polyethylene fittings	20mm Push fit (PF) x 1/2 Large Back Plate Male Elbow - 100mm Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN20 (PF) x DN16 (PF)	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903225	Cross linked polyethylene fittings	16mm Push fit (PF) x1/2 Female Coupling Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN16 (PF) x G1/2	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903226	Cross linked polyethylene fittings	16mm Push fit (PF) Stopend Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN16 (PF)	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903227	Cross linked polyethylene fittings	16mm Push fit (PF) x 15Cn Flare fitting Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN16 (PF) x 15Cn	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903228	Cross linked polyethylene fittings	16mm Push fit (PF) x 15Cn Copper Pex Adapter Straight Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN16 (PF) x 15Cn	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903229	Cross linked polyethylene fittings	16mm Push fit (PF) x 1/2 Male straight connector Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN16 (PF) x R1/2	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903232	Cross linked polyethylene fittings	16mm Push fit (PF) x 3/4 male straight coupling Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN16 (PF) x G3/4	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903236	Cross linked polyethylene fittings	20mm Push fit (PF) x 20Cn Flare fitting Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN20 (PF) x G3/4	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903231	Cross linked polyethylene fittings	20mm Push fit (PF) x 3/4 female straight coupling Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN16 (PF) x R3/4	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903235	Cross linked polyethylene fittings	20mm Push fit (PF) Stopend Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN20 (PF) x R3/4	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903233	Cross linked polyethylene fittings	20mm Push fit (PF) x 3/4 male straight coupling Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN20 (PF) x R1/2	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Pressure Classification	Material	Additional Product Information
Pegler	Tectite	903237	Cross linked polyethylene fittings	20mm Push fit (PF) x 20Cn Copper Pex Adapter Straight Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN20 (PF)	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903230	Cross linked polyethylene fittings	16mm Push fit (PF) x 3/4 female straight coupling Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN20 (PF) x 20Cn	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903234	Cross linked polyethylene fittings	20mm Push fit (PF) x 1/2 male straight coupling Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN20 (PF) x 20Cn	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492
Pegler	Tectite	903238	Cross linked polyethylene fittings	16mm Push fit (PF) x 1/2 Large Back Plate Male Elbow - 75mm Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492	Water	DN16 (PF) x GB1/2	Class 1 / PN10	DR Brass	Tested with WM Certified PE-Xa pipe SDR7.4 PN20 WM-025305 to AS/NZS 2492

END RECORD

END RECORD



David Viola  
Chief Executive Officer of the IAPMO Group