

Pipes/Fittings/Couplings | Aboveground Pipe and Fittings | Grooved Couplings, Standard-Rigid

SHURJOINT Model Z05

Product Description

[illegible]

Allied Tube & Conduit, "Dyna-Flow"				300 (2070)	300 (2070)		300 (2070)		300 (2070)								
Bullmoose Tube, "EDDY-Flow"		300 (2070)	300 (2070)	300 (2070)	300 (2070)		300 (2070)		300 (2070)								
Wheatland Tube, "Mega-Flow"		300 (2070)	300 (2070)	300 (2070)	300 (2070)		300 (2070)		300 (2070)								
Wupperman, "Gal-7"			175 (1205)														
Schedule 5 Pipe																	
Wuppermann Wgalweld 5			175 (1205)				175 (1205)										
0.188 in. wall Rolled Groove															350 (2410)		
BS 10255 medium grade						350 (2410)				350 (2410)		350 (2410)					
BS 1387 medium or heavy grade																	

Remarks:
a. FM Approved when supplied with an EPDM Gasket

Details

Category

Grooved Couplings, Standard-Rigid

Company

Aalberts integrated piping systems APAC Inc.
No. 295, Sec. 3 Wantan Road, Wantan Pingtung,
Taiwan (R.O. C) 913

Class of Work	1920 - Coupling & Fitting, All Type
Approval Standard	FM 1920 - Pipe Couplings and Fittings for Aboveground Fire Protection Systems
Certification Type	FM Approved
Listing Country	Taiwan

<http://shurjoint.com>