

## VIZA7.EX4689 - FITTINGS, GROOVED AND PLAIN END CERTIFIED FOR CANADA

## Fittings, Grooved and Plain End Certified for Canada

See General Information for Fittings, Grooved and Plain End Certified for Canada

**SHURJOINT METALS INC**

295 SEC 3 WANDAN RD

WANDAN TOWNSHIP

PINGTUNG HSIEN, 913 TAIWAN

The following fittings are intended for use with Shurjoint (EX4688) Listed rubber gasketed fittings.

EX4689

Model	Type	Size In.	Rated Pressure (kPa)
899	Grooved by Female NPT 90 degree elbow	1-1/4 x 1/2, 3/4, 1;	2070
		1-1/2 x 1/2, 3/4, 1;	
		2 x 1/2, 3/4, 1;	
		2-1/2 x 1/2, 3/4, 1	
901	90 Degree Elbow (Short Radius)	2, 2-1/2, 3, 4, 5, 6, 8;	2070
		3.0 OD, 6.5 OD	
903	Tee (Short Radius)	2, 2-1/2, 3, 4, 5, 6, 8;	2070
		3.0 OD, 6.5 OD	
7110	90 Degree Elbow	20, 24	1730
		1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8, 10, 12, 14, 16, 18	2070
		76.1 mm, 139.7 mm, 165.1 mm, 216.3 mm, 267.4 mm, 318.5 mm	
7110DR	Drain Elbow	2, 2-1/2, 3, 4, 6	2070
7110LR	Elbow (Long Radius)	2, 2-1/2, 3, 4, 6, 8	2070
7111	45 Degree Elbow	20, 24	1730
		1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8, 10, 12, 14, 16, 18	2070
		76.1 mm, 139.7 mm, 165.1 mm, 216.3 mm, 267.4 mm, 318.5 mm	
7112	22-1/2 Elbow	1-1/2	3460
		2, 2-1/2, 3.0 OD, 3, 4, 5, 6, 6.5 OD, 8	2070
7113	11-1/4 Elbow	2, 2-1/2, 3.0 OD, 3, 4, 5, 6, 6.5 OD, 8	2070
7120	Tee	20, 24	1730
		1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8, 10, 12, 14, 16, 18	2070
		776.1 mm, 139.7 mm, 165.1 mm, 216.3 mm, 267.4 mm, 318.5 mm	
7121	Reducing Tee	2 x 1-1/2;	2070
		2-1/2 x 2;	
		3 x 2, 2-1/2;	
		4 x 2, 2-1/2, 3;	
		6 x 2, 2-1/2, 3, 4;	
		8 x 2, 3, 4, 6;	
		10 x 4, 6, 8;	
		12 x 3, 4, 6, 8, 10	
7125	Bullhead Tee	2 x 2-1/2;	2070
		2-1/2 x 3, 4;	
		4 x 6;	
		5 x 8;	
		6 x 8	
7127	Standpipe Tee	4 x 2-1/2;	2070
		6 x 2-1/2	
7130	45 Lateral	2, 2-1/2, 3, 3.0 OD, 4, 5, 6, 6.5 OD, 8	2070
7135	Cross	2, 2-1/2, 3, 4, 5, 6, 8	2070
7150	Concentric Reducers (Groove Type A)	4 x 2, 2-1/2, 3;	2070
		6 x 2, 2-1/2, 3, 4	

	(Groove Type B)	2 x 1-1/2; 8 x 3, 4, 6; 10 x 4, 6, 8; 12 x 8, 10; 14 x 8, 10, 12; 16 x 8, 10, 12, 14; 18 x 12, 14, 16	
	(Groove Type C)	2-1/2 x 2; 3 x 2, 2-1/2	
	(Groove Type B)	20 x 16, 18; 24 x 12, 14, 16, 18, 20	1730
7150F	Reducing Socket Adapter	1-1/2 x 1; 2 x 1-1/4, 1-1/2; 2-1/2 x 1-1/4, 1-1/2, 2; 3 x 1-1/4, 1-1/2, 2; 4 x 1-1/2, 2, 2-1/2; 5 x 1-1/2; 6 x 1-1/2, 2, 2-1/2, 4	2070
7150M	Reducing Nipple	1-1/2 x 1; 2 x 1-1/4, 1-1/2; 2-1/2 x 1-1/4, 1-1/2, 2; 3 x 1-1/4, 1-1/2, 2; 4 x 1-1/2, 2, 2-1/2; 5 x 1-1/2; 6 x 1-1/2, 2, 2-1/2, 4	2070
7151	Eccentric Reducer (Groove Type A)	6 x 2	2070
	(Groove Type B)	2-1/2 x 2; 3 x 2, 2-1/2; 4 x 2, 2-1/2, 3; 6 x 3, 4; 8 x 4, 6	
7160H	Cap	10, 12, 14, 16, 18 20, 24	2070 1730
7160	Cap	1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8, 10 12 2 x 1, 1-1/4; 2-1/2 x 1, 1-1/4, 1-1/2; 3 x 1, 1-1/4, 1-1/2, 2; 4 x 1, 1-1/4, 1-1/2, 2; 6 x 1, 1-1/4, 1-1/2, 2; 76.1 mm, 139.7 mm, 165.1 mm, 216.3 mm, 267.4 mm 318.5 mm	2070 1210 2070 2070 2070 2070 2070 1210
7170	Flange Adapter	2-1/2, 3, 4, 5, 6	1210
7180	Flange Adapter	2, 2-1/2, 3, 4, 5, 6, 8	2070
55	Nipple Adapter	1-1/2, 2	2070
850	Sprinkler Hub	2 x 1 (3 outlets); 2-1/2 x 1 (3 outlets); 76.1mm x 1 (3 outlets)	2070
851	Reducing Sprinkler Hub	2 x 1-1/2 x 1 (3 outlets); 2-1/2 x 1-1/2 x 1 (3 outlets); 2-1/2 x 2 x 1 (3 outlets); 76.1 mm x 2 x 1 (3 outlets)	2070
853	Sprinkler Hub	1-1/2 x 1 (4 outlets); 2 x 1 (4 outlets); 2-1/2 x 1 (4 outlets); 76.1 mm x 1 (4 outlets)	2070
SS-10	90 Elbow	1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8	2070

SS-11	45 Elbows	1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8	2070
SS-20	Tee	1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8	2070
SS-21	Tee	3 x 2-1/2;	2070
		4 x 2-1/2	
SS-21F	Tee	3 x 2;	2070
		4 x 2	
SS-50	Tee	3 x 2-1/2;	2070
		4 x 2-1/2	
SS-50F	Concentric Reducer	2-1/2 x 2;	2070
		3 x 2;	
		4 x 2	
SS-60	Cap	1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8	2070
SS-80	Flange Adapter	2, 2-1/2, 3, 4, 5, 6, 8	2070
C10	90 Elbow	2, 2-1/2, 3, 4	1210
C11	45 Elbow	2, 2-1/2, 3, 4	1210
C20	Tee	2, 2-1/2, 3, 4, 6	1210
C21	Reducing Tee	2-1/2 x 2;	1380
		3 x 2, 2-1/2;	
		4 x 2, 2-1/2, 3;	
		5 x 3, 4;	
		6 x 2-1/2, 3, 4, 5	
C26	Reducing Tee	2 x 3/4, 1, 1-1/4, 1-1/2;	1380
		2-1/2 x 3/4, 1, 1-1/4, 1-1/2;	
		3 x 3/4, 1, 1-1/4, 1-1/2;	
		4 x 3/4, 1, 1-1/4, 1-1/2	
C50	Concentric Reducer	2-1/2 x 2;	1380
		3 x 2, 2-1/2;	
		4 x 2, 2-1/2, 3;	
		5 x 3, 4;	
		6 x 2-1/2, 3, 4, 5	
C52	Concentric Reducer	2 x 1, 1-1/4, 1-1/2;	1380
		2-1/2 x 1, 1-1/4, 1-1/2, 2;	
		3 x 1-1/2, 2;	
		4 x 2	
C60	Cap	2, 2-1/2, 3, 4	1380

Last Updated on 2018-06-27

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"