



Certificate number: 2409710 (1)

Issued 09/09/2024

Expires 09/03/2025

Kiwa Regulation 4 (KUKreg4) Certification

Evaluation Guideline – Kiwa UK – EG004 – Regulation 4(1)(a)

Model number(s) – see Appendix

Aalberts integrated piping systems BV.

Kiwa Watertec declares that legitimate confidence exists in the products specified in this certificate and supplied by the above organisation be relied upon to comply with the Kiwa Evaluation Guideline referred above.

Which verifies the requirements of:

Regulation 4(1)a of the Water Supply (Water Fittings) Regulations 1999 England & Wales: 2009 Northern Ireland and 2014 Byelaws Scotland.

This certificate has been issued in accordance with the Kiwa regulations for product certification.

Signed on behalf of Kiwa Watertec

David Jay, Business Unit Manager – Authorised Signatory
Kiwa Watertec

Publication of this certificate is allowed.

Products are intended to be used in the UK only. For other countries, other (National) requirements will apply.

See <https://www.kiwa.com/gb/en/about-kiwa/water-products/> or the QR code below to ensure that the certificate is still valid.

CERTIFICATE

Kiwa Watertec
(A Trading Division of Kiwa Ltd)
26A Rassau Industrial Estate
Ebbw Vale
Gwent
NP23 5SD
United Kingdom
T +44 (0)1495 308185
uk.water@kiwa.com
www.kiwa.co.uk

Certificate Issued to:
Aalberts integrated piping systems BV
Oude Amersfoortseweg 99
Netherlands



KUKreg4

Product Certificate

Appendix to Certificate number: 2409710

The following products belong to this certificate

<p>PRODUCT DESCRIPTION</p> <p>VSH XPress RANGE OF STAINLESS STEEL CRIMP FITTINGS FOR USE WITH 316, 444 & 304 STAINLESS STEEL PIPE.</p> <p>ATS3 – Without Production Surveillance.</p>
<p>MODEL(S)</p> <p>VSH XPress Stainless straight coupling FF 108 SS1</p> <p>VSH XPress Stainless straight coupling FF 15 SS1</p> <p>VSH XPress Stainless straight coupling FF 18 SS1</p> <p>VSH XPress Stainless straight coupling FF 22 SS1</p> <p>VSH XPress Stainless straight coupling FF 28 SS1</p> <p>VSH XPress Stainless straight coupling FF 35 SS1</p> <p>VSH XPress Stainless straight coupling FF 42 SS1</p> <p>VSH XPress Stainless straight coupling FF 54 SS1</p> <p>VSH XPress Stainless straight coupling FF 76.1 SS1</p> <p>VSH XPress Stainless straight coupling FF 88.9 SS1</p> <p>VSH XPress Stainless straight connector FF 18xRp1/2" SS2</p> <p>VSH XPress Stainless straight connector FF 18xRp3/4" SS2</p> <p>VSH XPress Stainless straight connector FF 22xRp1" SS2</p> <p>VSH XPress Stainless straight connector FF 22xRp1/2" SS2</p> <p>VSH XPress Stainless straight connector FF 22xRp3/4" SS2</p> <p>VSH XPress Stainless straight connector FF 28xRp1" SS2</p> <p>VSH XPress Stainless straight connector FF 28xRp1/2" SS2</p> <p>VSH XPress Stainless straight connector FF 28xRp3/4" SS2</p> <p>VSH XPress Stainless straight connector FF 28xRp1 1/4" SS2</p> <p>VSH XPress Stainless straight connector FF 35xRp1" SS2</p> <p>VSH XPress Stainless straight connector FF 35xRp1 1/2" SS2</p> <p>VSH XPress Stainless straight connector FF 35xRp1 1/4" SS2</p> <p>VSH XPress Stainless straight connector FF 42xRp1 1/2" SS2</p> <p>VSH XPress Stainless straight connector FF 42xRp1 1/4" SS2</p> <p>VSH XPress Stainless straight connector FF 54xRp2" SS2</p> <p>VSH XPress Stainless straight connector FF 54xRp1 1/2" SS2</p> <p>VSH XPress Stainless straight connector FF 15xRp1/2" SS2</p> <p>VSH XPress Stainless slip coupling FF 108 SS1SLIP</p> <p>VSH XPress Stainless slip coupling FF 15 SS1SLIP</p> <p>VSH XPress Stainless slip coupling FF 18 SS1SLIP</p> <p>VSH XPress Stainless slip coupling FF 22 SS1SLIP</p> <p>VSH XPress Stainless slip coupling FF 28 SS1SLIP</p> <p>VSH XPress Stainless slip coupling FF 35 SS1SLIP</p> <p>VSH XPress Stainless slip coupling FF 42 SS1SLIP</p> <p>VSH XPress Stainless slip coupling FF 54 SS1SLIP</p> <p>VSH XPress Stainless slip coupling FF 76.1 SS1SLIP</p> <p>VSH XPress Stainless slip coupling FF 88.9 SS1SLIP</p> <p>VSH XPress Stainless coupling with nut FF 22xG1" SS2</p> <p>VSH XPress Stainless coupling with nut FF 28xG1 1/4" SSG2</p> <p>VSH XPress Stainless coupling with nut FF 35xG1 1/2" SS2</p> <p>VSH XPress Stainless coupling with nut FF 42xG1 3/4" ss2</p> <p>VSH XPress Stainless coupling with nut FF 54xG2 3/8" SS2</p> <p>VSH XPress Stainless straight connector FM 15xR1/2" SS3</p> <p>VSH XPress Stainless straight connector FM 18xR1/2" SS3</p> <p>VSH XPress Stainless straight connector FM 18xR3/4" SS3</p> <p>VSH XPress Stainless straight connector FM 22xR1" SS3</p> <p>VSH XPress Stainless straight connector FM 22xR1/2" SS3</p>

Product Certificate

Appendix to Certificate number: 2409710

VSH XPress Stainless straight connector FM 22xR3/4" SS3
VSH XPress Stainless straight connector FM 28xR1" SS3
VSH XPress Stainless straight connector FM 28xR3/4" SS3
VSH XPress Stainless straight connector FM 28xR1 1/4" SS3
VSH XPress Stainless straight connector FM 35xR1" SS3
VSH XPress Stainless straight connector FM 35xR1 1/2" SS3
VSH XPress Stainless straight connector FM 35xR1 1/4" SS3
VSH XPress Stainless straight connector FM 42xR1 1/2" SS3
VSH XPress Stainless straight connector FM 42xR1 1/4" SS3
VSH XPress Stainless straight connector FM 54xR2" SS3
VSH XPress Stainless straight connector FM 54xR1 1/2" SS3
VSH XPress Stainless straight connector FM 76.1xR2 1/2" SS3
VSH XPress Stainless straight connector FM 88.9xR3" SS3
VSH XPress Stainless straight connector FM 12xR1/2"
VSH XPress Stainless reducer ØF 18x15 SS6
VSH XPress Stainless reducer ØF 22x15 SS6
VSH XPress Stainless reducer ØF 28x15 SS6
VSH XPress Stainless reducer ØF 22x18 SS6
VSH XPress Stainless reducer ØF 28x18 SS6
VSH XPress Stainless reducer ØF 35x18 SS6
VSH XPress Stainless reducer ØF 28x22 SS6
VSH XPress Stainless reducer ØF 35x22 SS6
VSH XPress Stainless reducer ØF 42x22 SS6
VSH XPress Stainless reducer ØF 54x22 SS6
VSH XPress Stainless reducer ØF 35x28 SS6
VSH XPress Stainless reducer ØF 42x28 SS6
VSH XPress Stainless reducer ØF 54x28 SS6
VSH XPress Stainless reducer ØF 42x35 SS6
VSH XPress Stainless reducer ØF 54x35 SS6
VSH XPress Stainless reducer ØF 54x42 SS6
VSH XPress Stainless reducer ØF 76.1x42 SS6
VSH XPress Stainless reducer ØF 108x54 SS6
VSH XPress Stainless reducer ØF 76.1x54 SS6
VSH XPress Stainless reducer ØF 88.9x54 SS6
VSH XPress Stainless reducer ØF 108x76.1 SS6
VSH XPress Stainless reducer ØF 88.9x76.1 SS6
VSH XPress Stainless reducer ØF 108x88.9 SS6
VSH XPress Stainless bend 90° FF 108 SS12
VSH XPress Stainless bend 90° FF 15 SS12
VSH XPress Stainless bend 90° FF 18 SS12
VSH XPress Stainless bend 90° FF 22 SS12
VSH XPress Stainless bend 90° FF 28 SS12
VSH XPress Stainless bend 90° FF 35 SS12
VSH XPress Stainless bend 90° FF 42 SS12
VSH XPress Stainless bend 90° FF 54 SS12
VSH XPress Stainless bend 90° FF 76.1 SS12
VSH XPress Stainless bend 90° FF 88.9 SS12
VSH XPress Stainless angle adapter 90° FF 15xRp1/2" SS14
VSH XPress Stainless angle adapter 90° FF 22xRp1/2" SS14
VSH XPress Stainless angle adapter 90° FF 22xRp3/4" SS14
VSH XPress Stainless angle adapter 90° FF 28xRp1" SS14
VSH XPress Stainless angle adapter 90° FF 28xRp1/2" SS14
VSH XPress Stainless angle adapter 90° FF 28xRp3/4" SS14
VSH XPress Stainless angle adapter 90° FF 35xRp1" SS14
VSH XPress Stainless angle adapter 90° FF 35xRp1/2" SS14
VSH XPress Stainless angle adapter 90° FF 35xRp3/4" SS14

Product Certificate

Appendix to Certificate number: 2409710

VSH XPress Stainless angle adapter 90° FF 35xRp1 1/4" SS14
VSH XPress Stainless bend 90° FØ 108 SS12S
VSH XPress Stainless bend 90° FØ 15 SS12S
VSH XPress Stainless bend 90° FØ 18 SS12S
VSH XPress Stainless bend 90° FØ 22 SS12S
VSH XPress Stainless bend 90° FØ 28 SS12S
VSH XPress Stainless bend 90° FØ 35 SS12S
VSH XPress Stainless bend 90° FØ 42 SS12S
VSH XPress Stainless bend 90° FØ 54 SS12S
VSH XPress Stainless bend 90° FØ 76.1 SS12S
VSH XPress Stainless bend 90° FØ 88.9 SS12S
VSH XPress Stainless bend 45° FØ 108 SS21S
VSH XPress Stainless bend 45° FØ 15 SS21S
VSH XPress Stainless bend 45° FØ 18 SS21S
VSH XPress Stainless bend 45° FØ 22 SS21S
VSH XPress Stainless bend 45° FØ 28 SS21S
VSH XPress Stainless bend 45° FØ 35 SS21S
VSH XPress Stainless bend 45° FØ 42 SS21S
VSH XPress Stainless bend 45° FØ 54 SS21S
VSH XPress Stainless bend 45° FØ 76.1 SS21S
VSH XPress Stainless bend 45° FØ 88.9 SS21S
VSH XPress Stainless bend 45° FF 108 SS21
VSH XPress Stainless bend 45° FF 15 SS21
VSH XPress Stainless bend 45° FF 18 SS21
VSH XPress Stainless bend 45° FF 22 SS21
VSH XPress Stainless bend 45° FF 28 SS21
VSH XPress Stainless bend 45° FF 35 SS21
VSH XPress Stainless bend 45° FF 42 SS21
VSH XPress Stainless bend 45° FF 54 SS21
VSH XPress Stainless bend 45° FF 76.1 SS21
VSH XPress Stainless bend 45° FF 88.9 SS21
VSH XPress Stainless T-piece FFF 108 SS24
VSH XPress Stainless T-piece FFF 15 SS24
VSH XPress Stainless T-piece FFF 18 SS24
VSH XPress Stainless T-piece FFF 22 SS24
VSH XPress Stainless T-piece FFF 28 SS24
VSH XPress Stainless T-piece FFF 35 SS24
VSH XPress Stainless T-piece FFF 42 SS24
VSH XPress Stainless T-piece FFF 54 SS24
VSH XPress Stainless T-piece FFF 76.1 SS24
VSH XPress Stainless T-piece FFF 88.9 SS24
VSH XPress Stainless T-piece reduced FFF 108x108x22 SS25
VSH XPress Stainless T-piece reduced FFF 108x108x28 SS25
VSH XPress Stainless T-piece reduced FFF 108x108x35 SS25
VSH XPress Stainless T-piece reduced FFF 108x108x42 SS25
VSH XPress Stainless T-piece reduced FFF 108x108x54 SS25
VSH XPress Stainless T-piece reduced FFF 108x108x76.1 SS25
VSH XPress Stainless T-piece reduced FFF 108x108x88.9 SS25
VSH XPress Stainless T-piece reduced FFF 18x18x15 SS25
VSH XPress Stainless T-piece reduced FFF 22x22x15 SS25
VSH XPress Stainless T-piece reduced FFF 22x22x18 SS25
VSH XPress Stainless T-piece reduced FFF 28x28x15 SS25
VSH XPress Stainless T-piece reduced FFF 28x28x18 SS25
VSH XPress Stainless T-piece reduced FFF 28x28x22 SS25
VSH XPress Stainless T-piece reduced FFF 35x35x15 SS25
VSH XPress Stainless T-piece reduced FFF 35x35x18 SS25

Product Certificate

Appendix to Certificate number: 2409710

VSH XPress Stainless T-piece reduced FFF 35x35x22 SS25
VSH XPress Stainless T-piece reduced FFF 35x35x28 SS25
VSH XPress Stainless T-piece reduced FFF 42x42x22 SS25
VSH XPress Stainless T-piece reduced FFF 42x42x28 SS25
VSH XPress Stainless T-piece reduced FFF 42x42x35 SS25
VSH XPress Stainless T-piece reduced FFF 54x54x22 SS25
VSH XPress Stainless T-piece reduced FFF 54x54x28 SS25
VSH XPress Stainless T-piece reduced FFF 54x54x35 SS25
VSH XPress Stainless T-piece reduced FFF 54x54x42 SS25
VSH XPress Stainless T-piece reduced FFF 76.1x76.1x22 SS25
VSH XPress Stainless T-piece reduced FFF 76.1x76.1x28 SS25
VSH XPress Stainless T-piece reduced FFF 76.1x76.1x35 SS25
VSH XPress Stainless T-piece reduced FFF 76.1x76.1x42 SS25
VSH XPress Stainless T-piece reduced FFF 76.1x76.1x54 SS25
VSH XPress Stainless T-piece reduced FFF 88.9x88.9x22 SS25
VSH XPress Stainless T-piece reduced FFF 88.9x88.9x28 SS25
VSH XPress Stainless T-piece reduced FFF 88.9x88.9x35 SS25
VSH XPress Stainless T-piece reduced FFF 88.9x88.9x42 SS25
VSH XPress Stainless T-piece reduced FFF 88.9x88.9x54 SS25
VSH XPress Stainless T-piece reduced FFF 88.9x88.9x76.1 SS25
VSH XPress Stainless crossover ØØ 22 SS22S
VSH XPress Stainless crossover ØØ 28 SS22S
VSH XPress Stainless T-piece female thread FFF 108x108xRp2" SS30
VSH XPress Stainless T-piece female thread FFF 108x108xRp3/4" SS30
VSH XPress Stainless T-piece female thread FFF 15x15xRp1/2" SS30
VSH XPress Stainless T-piece female thread FFF 18x18xRp1/2" SS30
VSH XPress Stainless T-piece female thread FFF 18x18xRp3/4" SS30
VSH XPress Stainless T-piece female thread FFF 22x22xRp1/2" SS30
VSH XPress Stainless T-piece female thread FFF 22x22xRp3/4" SS30
VSH XPress Stainless T-piece female thread FFF 28x28xRp1/2" SS30
VSH XPress Stainless T-piece female thread FFF 28x28xRp1" SS30
VSH XPress Stainless T-piece female thread FFF 28x28xRp3/4" SS30
VSH XPress Stainless T-piece female thread FFF 35x35xRp1/2" SS30
VSH XPress Stainless T-piece female thread FFF 35x35xRp1" SS30
VSH XPress Stainless T-piece female thread FFF 35x35xRp3/4" SS30
VSH XPress Stainless T-piece female thread FFF 42x42xRp1/2" SS30
VSH XPress Stainless T-piece female thread FFF 42x42xRp1" SS30
VSH XPress Stainless T-piece female thread FFF 42x42xRp3/4" SS30
VSH XPress Stainless T-piece female thread FFF 54x54xRp1/2" SS30
VSH XPress Stainless T-piece female thread FFF 54x54xRp1" SS30
VSH XPress Stainless T-piece female thread FFF 54x54xRp2" SS30
VSH XPress Stainless T-piece female thread FFF 54x54xRp3/4" SS30
VSH XPress Stainless T-piece female thread FFF 76.1x76.1xRp2" SS30
VSH XPress Stainless T-piece female thread FFF 76.1x76.1xRp3/4" SS30
VSH XPress Stainless T-piece female thread FFF 88.9x88.9xRp2" SS30
VSH XPress Stainless T-piece female thread FFF 88.9x88.9xRp3/4" SS30
VSH XPress Stainless bend pipe 15° ØØ 28 SS19S
VSH XPress Stainless bend pipe 15° ØØ 35 SS19S
VSH XPress Stainless bend pipe 15° ØØ 42 SS19S
VSH XPress Stainless bend pipe 15° ØØ 54 SS19S
VSH XPress Stainless bend pipe 30° ØØ 28 SS19S
VSH XPress Stainless bend pipe 30° ØØ 35 SS19S
VSH XPress Stainless bend pipe 30° ØØ 42 SS19S
VSH XPress Stainless bend pipe 30° ØØ 54 SS19S
VSH XPress Stainless bend pipe 60° ØØ 28 SS19S
VSH XPress Stainless bend pipe 60° ØØ 35 SS19S

Product Certificate

Appendix to Certificate number: 2409710

VSH XPress Stainless bend pipe 60° ØØ 42 SS19S
VSH XPress Stainless bend pipe 60° ØØ 54 SS19S
VSH XPress Stainless bend pipe 90° ØØ 22 SS19S
VSH XPress Stainless bend pipe 90° ØØ 28 SS19S
VSH XPress Stainless bend pipe 90° ØØ 35 SS19S
VSH XPress Stainless bend pipe 90° ØØ 42 SS19S
VSH XPress Stainless bend pipe 90° ØØ 54 SS19S
VSH XPress Stainless flange adapter PN10/16 108 DN100 SS1FMF
VSH XPress Stainless flange adapter PN10/16 22 DN20 SS1FMF
VSH XPress Stainless flange adapter PN10/16 28 DN25 SS1FMF
VSH XPress Stainless flange adapter PN10/16 35 DN32 SS1FMF
VSH XPress Stainless flange adapter PN10/16 42 DN40 SS1FMF
VSH XPress Stainless flange adapter PN10/16 54 DN50 SS1FMF
VSH XPress Stainless flange adapter PN10/16 76.1 DN65 SS1FMF
VSH XPress Stainless flange adapter PN10/16 88.9 DN80 SS1FMF
VSH XPress Stainless angle adapter 90° FM 15xR1/2" SS13
VSH XPress Stainless angle adapter 90° FM 18xR1/2" SS13
VSH XPress Stainless angle adapter 90° FM 22xR3/4" SS13
VSH XPress Stainless angle adapter 90° FM 28xR1" SS13
VSH XPress Stainless angle adapter 90° FM 35xR1 1/4" SS13
VSH XPress Stainless angle adapter 90° FM 42xR1 1/2" SS13
VSH XPress Stainless angle adapter 90° FM 54xR2" SS13
VSH XPress Stainless stop end F 108 SS61
VSH XPress Stainless stop end F 15 SS61
VSH XPress Stainless stop end F 18 SS61
VSH XPress Stainless stop end F 22 SS61
VSH XPress Stainless stop end F 28 SS61
VSH XPress Stainless stop end F 35 SS61
VSH XPress Stainless stop end F 42 SS61
VSH XPress Stainless stop end F 54 SS61
VSH XPress Stainless stop end F 76.1 SS61
VSH XPress Stainless stop end F 88.9 SS61
VSH XPress Stainless straight union FM 54xR2" SS69
VSH XPress Stainless straight union FM 15xR1/2" SS69
VSH XPress Stainless straight union FM 18xR1/2" SS69
VSH XPress Stainless straight union FM 22xR1" SS69
VSH XPress Stainless straight union FM 22xR1/2" SS69
VSH XPress Stainless straight union FM 22xR3/4" SS69
VSH XPress Stainless straight union FM 28xR1" SS69
VSH XPress Stainless straight union FM 35xR1 1/4" SS69
VSH XPress Stainless straight union FM 42xR1 1/2" SS69
VSH XPress Stainless straight union FM 15xR3/4" SS69
VSH XPress Stainless straight union FM 18xR3/4" SS69
VSH XPress Stainless wall plate long 90° FF 15xRp1/2" SS15L
VSH XPress Stainless wall plate long 90° FF 18xRp1/2" SS15L
VSH XPress Stainless wall plate long 90° FF 22xRp3/4" SS15L
VSH XPress Stainless straight union FF 15xRp1/2" SS69F
VSH XPress Stainless straight union FF 22xRp1" SS69F
VSH XPress Stainless straight union FF 22xRp3/4" SS69F
VSH XPress Stainless straight union FF 28xRp1" SS69F
VSH XPress Stainless straight union FF 35xRp1 1/4" SS69F
VSH XPress Stainless straight union FF 42xRp1 1/2" SS69F
VSH XPress Stainless straight union FF 54xRp2" SS69F
VSH XPress Stainless straight union FF 18xRp1/2" SS69F
VSH XPress Stainless slip coupling FF 22xRp1/2" SS2LC
VSH XPress Stainless slip coupling FF 22xRp3/4" SS2LC

Product Certificate

Appendix to Certificate number: 2409710

<p>VSH XPress Stainless slip coupling FF 28xRp1/2" SS2LC VSH XPress Stainless slip coupling FF 28xRp3/4" SS2LC VSH XPress Stainless axial compensator FF 22 SS75 VSH XPress Stainless axial compensator FF 28 SS75 VSH XPress Stainless axial compensator FF 35 SS75 VSH XPress Stainless axial compensator FF 42 SS75 VSH XPress Stainless axial compensator FF 54 SS75 VSH XPress Stainless axial compensator FF 15 SS75 VSH XPress Stainless axial compensator FF 18 SS75 VSH XPress Stainless groove connector MF 114x108 SS1V VSH XPress Stainless groove connector MF 33.7x28 SS1V VSH XPress Stainless groove connector MF 42.4x35 SS1V VSH XPress Stainless groove connector MF 48.3x42 SS1V VSH XPress Stainless groove connector MF 60.3x54 SS1V VSH XPress Stainless groove connector MF 76.1x76.1 SS1V VSH XPress Stainless groove connector MF 88.9x88.9 SS1V VSH XPress Stainless axial compensator ØØ 108 SS76 VSH XPress Stainless axial compensator ØØ 76.1 SS76 VSH XPress Stainless axial compensator ØØ 88.9 SS76 VSH XPress Stainless straight coupling FF 139.7 VSH XPress Stainless straight coupling FF 168.3 VSH XPress Stainless bend 90° FF 139.7 SS12 VSH XPress Stainless bend 90° FF 168.3 SS12 VSH XPress Stainless bend 90° FF 139.7 SS12S VSH XPress Stainless bend 90° FØ 168.3 SS12S VSH XPress Stainless flange adapter PN16 139.7 DN125 SS1FMF VSH XPress Stainless flange adapter PN16 168.3 DN150 SS1FMF VSH XPress Stainless bend 45° FF 139.7 SS21 VSH XPress Stainless bend 45° FF 168.3 SS21 VSH XPress Stainless bend 45° FØ 139.7 SS21S VSH XPress Stainless bend 45° FØ 168.3 SS21S VSH XPress Stainless T-piece FFF 139.7 VSH XPress Stainless T-piece FFF 168.3 VSH XPress Stainless T-piece reduced FFF 139.7x139.9x108 SS25 VSH XPress Stainless T-piece reduced FFF 139.7x139.7x76.1 SS25 VSH XPress Stainless T-piece reduced FFF 139.7x139.8x88.9 SS25 VSH XPress Stainless T-piece reduced FFF 168.3x168.3x108 SS25 VSH XPress Stainless T-piece reduced FFF 168.3x168.3x139.7 SS25 VSH XPress Stainless T-piece reduced FFF 168.3x168.3x76.1 SS25 VSH XPress Stainless T-piece reduced FFF 168.3x168.3x88.9 SS25 VSH XPress Stainless T-piece FFF 139.7x139.7xRp2 VSH XPress Stainless T-piece FFF 139.7x139.7xRp3/4 VSH XPress Stainless reducer ØF 139.7x108 VSH XPress Stainless reducer ØF 139.7x88.9 VSH XPress Stainless reducer ØF 168.3x108 VSH XPress Stainless reducer ØF 168.3x139.7 VSH XPress Stainless reducer ØF 168.3x88.9</p>
<p>SIZE: See model.</p>
<p>SCOPE: Manufacturer recommended maximum working pressure 10 Bar & maximum operating temperature 85°C. Hygienic Purposes: Non-metallic materials suitable for continuous use up to 85°C.</p>
<p>MARKING Manufacturers name and size on body.</p>
<p>MATERIALS Non-metallic materials assessed (BS6920) to point of discharge.</p>



Product Certificate

Appendix to Certificate number: 2409710

BACKFLOW PROTECTION NOTES N/A.
ADDITIONAL NOTES All water contact & exposed components satisfy opacity requirements.

Extra Notes