

Certificate



968/TA 1639.00/18

Product tested	Stainless steel pressfittings with specified EPDM / Viton O-Ring connection	Certificate holder	VSH Fittings B.V. PO Box 498 1200 AL Hilversum NL
Type designation	VSH XPress		
Codes and standards	TA Luft:2002 (in extracts)	VDI 2440:2000 (in extracts)	
Intended application	DN 12 to DN 100 max. 16 bar (diameters 12 - 54 mm) max. 10 bar (diameters 76.1 - 108 mm) EPDM: -30°C to max. 135°C Viton: -20°C to max. 200°C		
Specific requirements	The instructions of the associated Installation, Operating and Safety Manual shall be considered. The quality of the packing materials has to be in accordance with purchase order specifications.		

The tested VSH XPress stainless steel pressfittings meet the relevant requirements of the stated standards.


The test statement was made on the basis of the documentation submitted by the manufacturer, the tests performed and the production monitoring. It only applies to sealing systems and devices manufactured in accordance with the tested samples.

The test statement is only valid for unchanged manufactured products.

Valid until 2023-10-17

The issue of this certificate is based upon an examination, whose results are documented in Report No. 968/TA 1639.00/18 dated 2018-10-08.

This certificate is valid only for products which are identical with the product tested.



TÜV Rheinland
Industrie Service GmbH
Am Grauen Stein • 51105 Köln

Köln, 2018-10-17

TÜV Rheinland Industrie Service GmbH

Dipl.-Ing. Gebhard Bouwer