

Certificate



968/TA 1639.01/23

Product tested	Stainless steel pressfittings with specified EPDM / Viton O-Ring connection	Certificate holder	Aalberts integrated piping systems B.V. Oude Amersfoortseweg 99 1212 AA Hilversum The Netherlands
Type designation	VSH XPress		
Codes and standards	TA Luft:2021 (in extracts)		
Intended application	DN 12 to DN 100 max. 16 bar (diameters 12 - 54 mm) max. 10 bar (diameters 76.1 - 108 mm) EPDM: -30 °C to max. 135 °C Viton: -20 °C to max. 200 °C		
Specific requirements	The instructions of the associated Installation and Operating Manual shall be considered. The quality of the materials has to be in accordance with purchase order specifications.		

The tested XPress stainless steel pressfittings meet the relevant requirements of the stated standards.

The test statement was made on the basis of the documentation submitted by the manufacturer, the tests performed and the production monitoring. It only applies to sealing systems and devices manufactured in accordance with the tested samples.

The test statement is only valid for unchanged manufactured products.

Valid until 2028-11-16


The issue of this certificate is based upon an examination, whose results are documented in Report No. 968/TA 1639.01/23 dated 2023-11-15.

This certificate is valid only for products which are identical with the product tested.

TÜV Rheinland Industrie Service GmbH
Bereich Automation
Funktionale Sicherheit
Am Grauen Stein, 51105 Köln

Köln, 2023-11-16

TÜV Rheinland Industrie Service GmbH


Dipl.-Ing. (FH) Wolf Rückwart